

Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 8/9/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	154	3.9	154	4.5	154	14.3 16.2
9 - 11 Years	85	*	85	*	85	* *
12 - 14 Years	104	10.6	104	1.0	104	18.3 24.0
15 - 19 Years	127	5.5	127	2.4	127	19.7 18.1
Total	470	5.7	470	2.6	470	17.2 19.6
Black, Not Hispanic						
5 - 8 Years	651	4.3	651	1.2	651	16.6 19.0
9 - 11 Years	374	3.7	374	1.9	374	18.2 27.8
12 - 14 Years	396	3.3	396	1.3	396	18.2 24.0
15 - 19 Years	452	7.1	452	3.1	452	17.3 23.7
Total	1,873	4.6	1,873	1.8	1,873	17.4 23.0
Hispanic						
5 - 8 Years	2,404	4.0	2,404	2.2	2,404	19.3 24.6
9 - 11 Years	1,076	4.6	1,076	1.4	1,076	20.8 33.4
12 - 14 Years	876	8.6	876	1.4	876	22.7 28.4
15 - 19 Years	827	13.9	827	1.8	827	19.5 26.2
Total	5,183	6.5	5,183	1.9	5,183	20.2 27.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 8/9/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	3	*	3	*	3	*
Total	35	*	35	*	35	*
Asian						
5 - 8 Years	789	4.7	789	3.4	789	11.7
9 - 11 Years	518	9.5	518	6.9	518	14.3
12 - 14 Years	645	8.2	645	6.2	645	13.8
15 - 19 Years	802	13.7	802	5.9	802	11.3
Total	2,754	9.0	2,754	5.4	2,754	12.6
Pacific Islander						
5 - 8 Years	37	*	37	*	37	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	18	*	18	*	18	*
Total	83	*	83	*	83	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 8/9/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	59	*	59	*	59	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	61	*	61	*	61	*
15 - 19 Years	34	*	34	*	34	*
Total	185	9.2	185	1.6	185	23.2
All Other						
5 - 8 Years	1,667	4.4	1,667	3.2	1,667	19.8
9 - 11 Years	874	4.1	874	2.7	874	22.0
12 - 14 Years	877	5.4	877	3.1	877	23.5
15 - 19 Years	889	8.2	889	3.7	889	23.4
Total	4,307	5.3	4,307	3.2	4,307	21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 8/9/2010

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	5,773	4.3	5,773	2.7	5,773	17.2 20.8
9 - 11 Years	2,982	5.2	2,982	2.8	2,982	19.4 25.1
12 - 14 Years	2,983	6.9	2,983	2.9	2,983	19.4 22.7
15 - 19 Years	3,152	10.9	3,152	3.6	3,152	15.8 20.2
Total	14,890	6.4	14,890	2.9	14,890	17.8 21.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 5
Run Date: 8/9/2010

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 6
Run Date: 8/9/2010

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 7
Run Date: 8/9/2010

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 8
Run Date: 8/9/2010

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	6	*	6	*	6	*
Total	29	*	29	*	29	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 9
Run Date: 8/9/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	55	*	55	*	55	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	21	*	21	*	21	*
15 - 19 Years	25	*	25	*	25	*
Total	123	4.1	123	1.6	123	18.7 12.2
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*
Hispanic						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	14	*	14	*	14	*
15 - 19 Years	12	*	12	*	12	*
Total	62	*	62	*	62	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 10
Run Date: 8/9/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	4	*	4	*	4	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 11
Run Date: 8/9/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	24	*	24	*	24	* *
9 - 11 Years	4	*	4	*	4	* *
12 - 14 Years	7	*	7	*	7	* *
15 - 19 Years	9	*	9	*	9	* *
Total	44	*	44	*	44	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 12
Run Date: 8/9/2010

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	109	2.8	109	3.7	109	14.7 15.6
9 - 11 Years	41	*	41	*	41	* *
12 - 14 Years	44	*	44	*	44	* *
15 - 19 Years	50	*	50	*	50	* *
Total	244	3.7	244	2.0	244	17.6 18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 13
Run Date: 8/9/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	640	5.9	640	3.8	640	14.4 11.3
9 - 11 Years	273	5.9	273	2.6	273	16.5 24.2
12 - 14 Years	263	5.3	263	1.9	263	22.4 20.2
15 - 19 Years	266	6.8	266	3.0	266	17.3 19.5
Total	1,442	6.0	1,442	3.1	1,442	16.8 16.9
Black, Not Hispanic						
5 - 8 Years	83	*	83	*	83	* *
9 - 11 Years	39	*	39	*	39	* *
12 - 14 Years	42	*	42	*	42	* *
15 - 19 Years	47	*	47	*	47	* *
Total	211	3.3	211	1.9	211	19.0 19.0
Hispanic						
5 - 8 Years	281	6.4	281	1.4	281	26.0 23.1
9 - 11 Years	150	2.7	150	0.7	150	22.0 33.3
12 - 14 Years	98	*	98	*	98	* *
15 - 19 Years	95	*	95	*	95	* *
Total	624	6.3	624	1.1	624	25.0 27.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 14
Run Date: 8/9/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	17	*	17	*	17	*
15 - 19 Years	11	*	11	*	11	*
Total	58	*	58	*	58	*
Asian						
5 - 8 Years	77	*	77	*	77	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 Years	54	*	54	*	54	*
15 - 19 Years	66	*	66	*	66	*
Total	231	23.8	231	0.9	231	16.9 11.3
Pacific Islander						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	1	*	1	*	1	*
Total	9	*	9	*	9	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 15
Run Date: 8/9/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	4	*	4	*	4	*
Total	37	*	37	*	37	*
All Other						
5 - 8 Years	155	1.3	155	7.7	155	10.3
9 - 11 Years	57	*	57	*	57	*
12 - 14 Years	67	*	67	*	67	*
15 - 19 Years	56	*	56	*	56	*
Total	335	5.1	335	5.1	335	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 16
Run Date: 8/9/2010

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,280	5.6	1,280	3.4	1,280	16.5 16.4
9 - 11 Years	568	6.2	568	2.1	568	18.7 26.1
12 - 14 Years	553	7.4	553	1.8	553	21.9 22.1
15 - 19 Years	546	11.2	546	2.0	546	20.9 19.6
Total	2,947	7.1	2,947	2.6	2,947	18.7 19.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 17
Run Date: 8/9/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 Years	16	*	16	*	16	*
15 - 19 Years	19	*	19	*	19	*
Total	101	5.9	101	4.0	101	18.8 26.7
Black, Not Hispanic						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	7	*	7	*	7	*
Total	34	*	34	*	34	*
Hispanic						
5 - 8 Years	180	2.2	180	2.2	180	16.7 28.3
9 - 11 Years	121	5.0	121	0.0	121	26.4 21.5
12 - 14 Years	123	6.5	123	0.8	123	19.5 28.5
15 - 19 Years	129	16.3	129	3.9	129	27.1 24.0
Total	553	7.1	553	1.8	553	21.9 25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 18
Run Date: 8/9/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	9	*	9	*	9	*
Total	46	*	46	*	46	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 19
Run Date: 8/9/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	77	*	77	*	77	* *
9 - 11 Years	40	*	40	*	40	* *
12 - 14 Years	48	*	48	*	48	* *
15 - 19 Years	42	*	42	*	42	* *
Total	207	4.3	207	3.9	207	15.5 15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 20
Run Date: 8/9/2010

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	336	3.9	336	3.3	336	16.1 23.5
9 - 11 Years	202	4.0	202	2.5	202	24.3 19.3
12 - 14 Years	202	6.9	202	1.0	202	18.8 24.8
15 - 19 Years	207	11.1	207	3.4	207	22.7 21.7
Total	947	6.1	947	2.6	947	19.9 22.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 21
Run Date: 8/9/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*
Black, Not Hispanic							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 Years	4	*	4	*	4	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	10	*	10	*	10	*	*
Hispanic							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	6	*	6	*	6	*	*
15 - 19 Years	8	*	8	*	8	*	*
Total	28	*	28	*	28	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 22
Run Date: 8/9/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 23
Run Date: 8/9/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	8	*	8	*	8	* *
9 - 11 Years	6	*	6	*	6	* *
12 - 14 Years	4	*	4	*	4	* *
15 - 19 Years	6	*	6	*	6	* *
Total	24	*	24	*	24	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 24
Run Date: 8/9/2010

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	18	*	18	*	18	*
Total	66	*	66	*	66	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 25
Run Date: 8/9/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	11	*	11	*	11	*
Total	50	*	50	*	50	*
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	16	*	16	*	16	*
Hispanic						
5 - 8 Years	150	2.7	150	4.7	150	14.7
9 - 11 Years	65	*	65	*	65	*
12 - 14 Years	78	*	78	*	78	*
15 - 19 Years	86	*	86	*	86	*
Total	379	8.2	379	2.9	379	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 26
Run Date: 8/9/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 27
Run Date: 8/9/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	59	*	59	*	59	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 Years	39	*	39	*	39	*
15 - 19 Years	32	*	32	*	32	*
Total	157	3.2	157	0.6	157	22.9 28.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 28
Run Date: 8/9/2010

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	233	3.0	233	3.0	233	16.7 18.5
9 - 11 Years	105	9.5	105	1.9	105	24.8 26.7
12 - 14 Years	136	4.4	136	0.7	136	23.5 34.6
15 - 19 Years	134	11.9	134	2.2	134	17.2 30.6
Total	608	6.4	608	2.1	608	19.7 26.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 29
Run Date: 8/9/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	171	2.9	171	3.5	171	13.5 18.7
9 - 11 Years	104	3.8	104	2.9	104	16.3 26.0
12 - 14 Years	124	7.3	124	2.4	124	20.2 25.0
15 - 19 Years	99	*	99	*	99	* *
Total	498	4.4	498	3.0	498	16.7 22.9
Black, Not Hispanic						
5 - 8 Years	269	1.1	269	3.3	269	19.7 16.0
9 - 11 Years	155	2.6	155	0.6	155	20.0 23.2
12 - 14 Years	169	4.7	169	2.4	169	15.4 24.9
15 - 19 Years	217	5.5	217	1.4	217	16.6 28.6
Total	810	3.3	810	2.1	810	18.0 22.6
Hispanic						
5 - 8 Years	1,032	3.4	1,032	2.7	1,032	16.8 24.9
9 - 11 Years	422	5.5	422	1.2	422	17.1 32.0
12 - 14 Years	395	6.1	395	2.0	395	20.0 33.4
15 - 19 Years	317	14.8	317	0.9	317	22.7 23.3
Total	2,166	6.0	2,166	2.0	2,166	18.3 27.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 30
Run Date: 8/9/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	37	*	37	*	37	*
Total	135	9.6	135	0.7	135	13.3 14.8
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	8	*	8	*	8	*
Total	29	*	29	*	29	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 31
Run Date: 8/9/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	6	*	6	*	6	*
Total	59	*	59	*	59	*
All Other						
5 - 8 Years	502	5.0	502	2.2	502	15.7
9 - 11 Years	252	4.8	252	4.0	252	17.9
12 - 14 Years	219	5.9	219	2.7	219	22.4
15 - 19 Years	235	10.2	235	5.5	235	15.3
Total	1,208	6.1	1,208	3.3	1,208	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 32
Run Date: 8/9/2010

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,055	3.6	2,055	2.6	2,055	16.4 21.6
9 - 11 Years	970	4.4	970	2.0	970	17.8 28.4
12 - 14 Years	963	6.2	963	2.3	963	19.7 27.7
15 - 19 Years	920	10.4	920	2.6	920	18.4 24.5
Total	4,908	5.5	4,908	2.4	4,908	17.7 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 33
Run Date: 8/9/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	59	*	59	*	59	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	23	*	23	*	23	*
Total	138	3.6	138	2.9	138	16.7 19.6
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Hispanic						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	2	*	2	*	2	*
Total	44	*	44	*	44	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 34
Run Date: 8/9/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	31	*	31	*	31	*
Asian						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	10	*	10	*	10	*
Total	37	*	37	*	37	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 35
Run Date: 8/9/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	21	*	21	*	21	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 36
Run Date: 8/9/2010

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	126	7.1	126	1.6	126	19.8 18.3
9 - 11 Years	63	*	63	*	63	* *
12 - 14 Years	44	*	44	*	44	* *
15 - 19 Years	40	*	40	*	40	* *
Total	273	9.2	273	4.0	273	15.4 20.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 37
Run Date: 8/9/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	163	3.1	163	1.8	163	12.9 14.7
9 - 11 Years	93	*	93	*	93	* *
12 - 14 Years	118	5.1	118	1.7	118	22.0 18.6
15 - 19 Years	107	3.7	107	0.9	107	15.9 18.7
Total	481	4.0	481	2.3	481	17.3 16.8
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	8	*	8	*	8	* *
Total	14	*	14	*	14	* *
Hispanic						
5 - 8 Years	145	8.3	145	1.4	145	18.6 24.8
9 - 11 Years	59	*	59	*	59	* *
12 - 14 Years	48	*	48	*	48	* *
15 - 19 Years	50	*	50	*	50	* *
Total	302	9.3	302	2.0	302	19.2 24.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 38
Run Date: 8/9/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 39
Run Date: 8/9/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	137	6.6	137	1.5	137	11.7
9 - 11 Years	59	*	59	*	59	*
12 - 14 Years	78	*	78	*	78	*
15 - 19 Years	62	*	62	*	62	*
Total	336	9.8	336	2.7	336	14.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 40
Run Date: 8/9/2010

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	451	5.8	451	1.8	451	14.2 18.2
9 - 11 Years	215	5.6	215	4.7	215	15.8 19.1
12 - 14 Years	248	8.5	248	2.4	248	20.2 20.2
15 - 19 Years	231	10.0	231	1.3	231	18.2 19.5
Total	1,145	7.2	1,145	2.4	1,145	16.6 19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 41
Run Date: 8/9/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,163	4.6	1,163	2.7	1,163	16.5 16.4
9 - 11 Years	565	3.9	565	4.1	565	18.8 22.3
12 - 14 Years	555	5.4	555	3.6	555	19.5 23.8
15 - 19 Years	491	7.9	491	2.4	491	19.6 20.0
Total	2,774	5.2	2,774	3.1	2,774	18.1 19.7
Black, Not Hispanic						
5 - 8 Years	825	3.8	825	3.0	825	18.1 17.9
9 - 11 Years	468	3.0	468	2.8	468	17.5 23.9
12 - 14 Years	469	4.7	469	2.1	469	17.5 24.1
15 - 19 Years	502	4.8	502	2.0	502	18.3 22.9
Total	2,264	4.0	2,264	2.6	2,264	17.9 21.6
Hispanic						
5 - 8 Years	10,539	5.2	10,539	2.3	10,539	17.0 24.6
9 - 11 Years	5,469	4.2	5,469	1.6	5,469	19.5 31.7
12 - 14 Years	4,807	6.3	4,807	1.8	4,807	20.6 27.3
15 - 19 Years	4,365	11.8	4,365	2.3	4,365	19.6 25.2
Total	25,180	6.3	25,180	2.1	25,180	18.7 26.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 42
Run Date: 8/9/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	60	*	60	*	60	*
9 - 11 Years	44	*	44	*	44	*
12 - 14 Years	33	*	33	*	33	*
15 - 19 Years	35	*	35	*	35	*
Total	172	6.4	172	0.6	172	18.6 41.3
Asian						
5 - 8 Years	647	17.2	647	4.9	647	14.1 15.3
9 - 11 Years	420	14.5	420	2.6	420	13.8 20.5
12 - 14 Years	599	17.9	599	2.3	599	18.5 17.4
15 - 19 Years	920	31.8	920	3.9	920	14.6 17.0
Total	2,586	22.1	2,586	3.6	2,586	15.2 17.2
Pacific Islander						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	6	*	6	*	6	*
Total	47	*	47	*	47	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 43
Run Date: 8/9/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	7	*	7	*	7	*
Total	35	*	35	*	35	*
All Other						
5 - 8 Years	1,755	9.3	1,755	4.0	1,755	14.9
9 - 11 Years	956	6.6	956	3.1	956	17.8
12 - 14 Years	913	9.4	913	3.5	913	15.4
15 - 19 Years	920	14.7	920	3.2	920	17.7
Total	4,544	9.9	4,544	3.5	4,544	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 44
Run Date: 8/9/2010

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	15,026	6.1	15,026	2.7	15,026	16.7	22.6
9 - 11 Years	7,942	4.9	7,942	2.1	7,942	18.8	29.5
12 - 14 Years	7,388	7.5	7,388	2.2	7,388	19.5	25.7
15 - 19 Years	7,246	14.0	7,246	2.6	7,246	18.6	23.3
Total	37,602	7.6	37,602	2.5	37,602	18.0	24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 45
Run Date: 8/9/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	68	*	68	*	68	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	15	*	15	*	15	*
Total	130	6.2	130	0.0	130	18.5 16.9
Black, Not Hispanic						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	8	*	8	*	8	* *
Hispanic						
5 - 8 Years	142	6.3	142	2.1	142	17.6
9 - 11 Years	78	*	78	*	78	*
12 - 14 Years	67	*	67	*	67	*
15 - 19 Years	62	*	62	*	62	*
Total	349	10.6	349	1.1	349	18.3 22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 46
Run Date: 8/9/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	10	*	10	*	10	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 47
Run Date: 8/9/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	5	*	5	*	5	*
Total	36	*	36	*	36	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 48
Run Date: 8/9/2010

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	243	5.8	243	1.2	243	18.9 16.0
9 - 11 Years	110	4.5	110	0.0	110	23.6 26.4
12 - 14 Years	97	*	97	*	97	* *
15 - 19 Years	85	*	85	*	85	* *
Total	535	8.8	535	0.7	535	19.3 20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 49
Run Date: 8/9/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	144	6.9	144	4.2	144	19.4 16.7
9 - 11 Years	59	*	59	*	59	* *
12 - 14 Years	55	*	55	*	55	* *
15 - 19 Years	34	*	34	*	34	* *
Total	292	6.8	292	4.1	292	19.5 20.2
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 Years	2	*	2	*	2	* *
15 - 19 Years	0	*	0	*	0	* *
Total	9	*	9	*	9	* *
Hispanic						
5 - 8 Years	45	*	45	*	45	* *
9 - 11 Years	31	*	31	*	31	* *
12 - 14 Years	23	*	23	*	23	* *
15 - 19 Years	12	*	12	*	12	* *
Total	111	7.2	111	2.7	111	18.9 32.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 50
Run Date: 8/9/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	57	*	57	*	57	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 Years	39	*	39	*	39	*
15 - 19 Years	33	*	33	*	33	*
Total	152	5.9	152	1.3	152	22.4 27.0
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	9	*	9	*	9	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 51
Run Date: 8/9/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	186	7.0	186	2.2	186	23.1
9 - 11 Years	87	*	87	*	87	*
12 - 14 Years	99	*	99	*	99	*
15 - 19 Years	70	*	70	*	70	*
Total	442	6.8	442	1.6	442	22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 52
Run Date: 8/9/2010

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	443	6.3	443	2.9	443	20.8 18.5
9 - 11 Years	205	3.9	205	3.4	205	14.6 29.3
12 - 14 Years	219	5.5	219	1.8	219	24.7 28.3
15 - 19 Years	152	13.8	152	0.7	152	28.3 25.0
Total	1,019	6.8	1,019	2.5	1,019	21.5 23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 53
Run Date: 8/9/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	33	*	33	*	33	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	21	*	21	*	21	*
Total	74	*	74	*	74	*
Black, Not Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	5	*	5	*	5	*
Total	26	*	26	*	26	*
Hispanic						
5 - 8 Years	1,155	3.5	1,155	3.2	1,155	14.5
9 - 11 Years	620	3.9	620	1.8	620	20.3
12 - 14 Years	515	3.3	515	1.7	515	18.4
15 - 19 Years	456	8.6	456	0.9	456	18.2
Total	2,746	4.4	2,746	2.2	2,746	17.2
						25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 54
Run Date: 8/9/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	5	*	5	*	5	*
Total	16	*	16	*	16	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 55
Run Date: 8/9/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	1	*	1	*	1	* *
Total	2	*	2	*	2	* *
All Other						
5 - 8 Years	14	*	14	*	14	* *
9 - 11 Years	6	*	6	*	6	* *
12 - 14 Years	7	*	7	*	7	* *
15 - 19 Years	6	*	6	*	6	* *
Total	33	*	33	*	33	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 56
Run Date: 8/9/2010

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,222	3.4	1,222	3.4	1,222	14.5 22.0
9 - 11 Years	646	3.9	646	1.9	646	19.8 29.1
12 - 14 Years	541	3.5	541	2.0	541	17.7 29.0
15 - 19 Years	496	7.9	496	0.8	496	17.5 26.2
Total	2,905	4.3	2,905	2.3	2,905	16.8 25.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 57
Run Date: 8/9/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	14	*	14	*	14	*
Total	37	*	37	*	37	*
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
Hispanic						
5 - 8 Years	41	*	41	*	41	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	28	*	28	*	28	*
Total	125	5.6	125	2.4	125	16.8 24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 58
Run Date: 8/9/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	18	*	18	*	18	*
Total	72	*	72	*	72	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 59
Run Date: 8/9/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	8	*	8	*	8	* *
9 - 11 Years	4	*	4	*	4	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	3	*	3	*	3	* *
Total	16	*	16	*	16	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 60
Run Date: 8/9/2010

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	89	*	89	*	89	*
9 - 11 Years	51	*	51	*	51	*
12 - 14 Years	51	*	51	*	51	*
15 - 19 Years	64	*	64	*	64	*
Total	255	3.9	255	1.2	255	18.4 23.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 61
Run Date: 8/9/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,003	5.7	1,003	2.7	1,003	14.8 13.6
9 - 11 Years	494	4.7	494	2.4	494	16.8 20.0
12 - 14 Years	478	4.6	478	2.9	478	18.2 23.2
15 - 19 Years	489	7.8	489	2.7	489	17.6 20.7
Total	2,464	5.7	2,464	2.7	2,464	16.4 18.1
Black, Not Hispanic						
5 - 8 Years	551	1.8	551	7.6	551	14.9 16.5
9 - 11 Years	285	1.1	285	2.5	285	16.1 20.0
12 - 14 Years	286	2.4	286	2.1	286	19.9 25.5
15 - 19 Years	331	6.0	331	1.8	331	18.1 21.1
Total	1,453	2.8	1,453	4.2	1,453	16.9 20.0
Hispanic						
5 - 8 Years	6,757	3.9	6,757	3.2	6,757	17.4 22.6
9 - 11 Years	3,231	3.5	3,231	2.0	3,231	19.0 31.1
12 - 14 Years	3,054	6.7	3,054	1.5	3,054	20.3 29.5
15 - 19 Years	2,469	11.1	2,469	1.8	2,469	19.2 24.8
Total	15,511	5.5	15,511	2.4	15,511	18.6 26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 62
Run Date: 8/9/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	20	*	20	*	20	*
Asian						
5 - 8 Years	31	*	31	*	31	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	17	*	17	*	17	*
Total	72	*	72	*	72	*
Pacific Islander						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	8	*	8	*	8	*
Total	29	*	29	*	29	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 63
Run Date: 8/9/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	14	*	14	*	14	*
Total	52	*	52	*	52	*
All Other						
5 - 8 Years	524	4.4	524	4.2	524	16.6
9 - 11 Years	216	6.0	216	2.8	216	19.4
12 - 14 Years	225	5.8	225	4.0	225	22.2
15 - 19 Years	178	5.6	178	2.8	178	20.2
Total	1,143	5.2	1,143	3.7	1,143	18.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 64
Run Date: 8/9/2010

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	8,902	4.0	8,902	3.5	8,902	16.9 20.8
9 - 11 Years	4,259	3.5	4,259	2.2	4,259	18.6 28.8
12 - 14 Years	4,074	6.2	4,074	1.8	4,074	20.2 28.2
15 - 19 Years	3,509	9.9	3,509	2.1	3,509	18.8 23.6
Total	20,744	5.3	20,744	2.7	20,744	18.2 24.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 65
Run Date: 8/9/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	61	*	61	*	61	*
9 - 11 Years	29	*	29	*	29	*
12 - 14 Years	33	*	33	*	33	*
15 - 19 Years	20	*	20	*	20	*
Total	143	9.1	143	3.5	143	13.3 18.9
Black, Not Hispanic						
5 - 8 Years	44	*	44	*	44	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	15	*	15	*	15	*
Total	85	*	85	*	85	*
Hispanic						
5 - 8 Years	596	4.9	596	2.5	596	19.1 22.8
9 - 11 Years	306	5.2	306	2.6	306	21.2 32.0
12 - 14 Years	294	6.8	294	0.7	294	22.8 26.5
15 - 19 Years	241	6.6	241	1.7	241	14.1 32.8
Total	1,437	5.6	1,437	2.0	1,437	19.5 27.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 66
Run Date: 8/9/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	3	*	3	*	3	*
Total	5	*	5	*	5	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 67
Run Date: 8/9/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	82	*	82	*	82	*
9 - 11 Years	43	*	43	*	43	*
12 - 14 Years	37	*	37	*	37	*
15 - 19 Years	37	*	37	*	37	*
Total	199	9.5	199	4.0	199	18.1
						24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 68
Run Date: 8/9/2010

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	791	5.6	791	3.3	791	17.3 20.9
9 - 11 Years	394	5.1	394	2.0	394	21.1 29.4
12 - 14 Years	378	7.9	378	1.6	378	22.2 28.0
15 - 19 Years	320	7.8	320	1.9	320	15.6 29.7
Total	1,883	6.3	1,883	2.4	1,883	18.8 25.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 69
Run Date: 8/9/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	117	6.8	117	1.7	117	12.8 15.4
9 - 11 Years	60	*	60	*	60	* *
12 - 14 Years	78	*	78	*	78	* *
15 - 19 Years	119	5.9	119	3.4	119	21.8 19.3
Total	374	5.1	374	3.2	374	19.3 18.7
Black, Not Hispanic						
5 - 8 Years	95	*	95	*	95	* *
9 - 11 Years	54	*	54	*	54	* *
12 - 14 Years	123	4.9	123	2.4	123	24.4 21.1
15 - 19 Years	213	5.2	213	0.9	213	17.8 22.5
Total	485	5.8	485	2.3	485	18.8 19.8
Hispanic						
5 - 8 Years	6,428	4.0	6,428	2.8	6,428	15.9 19.0
9 - 11 Years	4,864	3.2	4,864	1.9	4,864	15.8 21.0
12 - 14 Years	4,934	5.1	4,934	1.5	4,934	18.3 20.3
15 - 19 Years	5,750	9.6	5,750	1.9	5,750	17.9 18.3
Total	21,976	5.5	21,976	2.1	21,976	16.9 19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 70
Run Date: 8/9/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Asian						
5 - 8 Years	174	4.0	174	9.2	174	14.4
9 - 11 Years	108	4.6	108	5.6	108	21.3
12 - 14 Years	104	7.7	104	2.9	104	16.3
15 - 19 Years	121	6.6	121	9.1	121	10.7
Total	507	5.5	507	7.1	507	15.4
Pacific Islander						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 71
Run Date: 8/9/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	18	*	18	*	18	*
Total	81	*	81	*	81	*
All Other						
5 - 8 Years	289	3.8	289	3.5	289	16.6
9 - 11 Years	205	4.4	205	4.9	205	16.6
12 - 14 Years	215	6.0	215	2.3	215	18.1
15 - 19 Years	265	15.5	265	2.6	265	17.0
Total	974	7.6	974	3.3	974	17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 72
Run Date: 8/9/2010

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	7,145	4.1	7,145	3.0	7,145	15.8	18.8
9 - 11 Years	5,312	3.3	5,312	2.1	5,312	15.9	21.2
12 - 14 Years	5,472	5.2	5,472	1.6	5,472	18.5	20.4
15 - 19 Years	6,491	9.6	6,491	2.1	6,491	17.8	18.3
Total	24,420	5.6	24,420	2.2	24,420	17.0	19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 73
Run Date: 8/9/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	162	2.5	162	4.3	162	14.2 18.5
9 - 11 Years	91	*	91	*	91	* *
12 - 14 Years	101	4.0	101	5.0	101	19.8 21.8
15 - 19 Years	135	10.4	135	0.7	135	13.3 21.5
Total	489	5.7	489	3.9	489	13.9 19.4
Black, Not Hispanic						
5 - 8 Years	148	2.7	148	4.7	148	15.5 9.5
9 - 11 Years	109	3.7	109	2.8	109	12.8 16.5
12 - 14 Years	158	2.5	158	3.8	158	18.4 19.0
15 - 19 Years	213	5.2	213	4.2	213	18.3 19.2
Total	628	3.7	628	4.0	628	16.7 16.4
Hispanic						
5 - 8 Years	3,073	4.6	3,073	3.0	3,073	17.0 21.1
9 - 11 Years	2,541	3.9	2,541	1.9	2,541	22.2 26.4
12 - 14 Years	2,763	6.9	2,763	1.8	2,763	21.9 22.8
15 - 19 Years	4,955	20.4	4,955	1.5	4,955	19.6 16.0
Total	13,332	10.8	13,332	2.0	13,332	20.0 20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 74
Run Date: 8/9/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	37	*	37	*	37	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	26	*	26	*	26	*
15 - 19 Years	27	*	27	*	27	*
Total	108	6.5	108	8.3	108	15.7 5.6
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	8	*	8	*	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 75
Run Date: 8/9/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	21	*	21	*	21	*
Total	72	*	72	*	72	*
All Other						
5 - 8 Years	429	5.6	429	3.3	429	14.9
9 - 11 Years	231	5.2	231	3.5	231	15.2
12 - 14 Years	209	7.7	209	2.9	209	23.9
15 - 19 Years	235	13.2	235	4.3	235	21.3
Total	1,104	7.5	1,104	3.4	1,104	18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 76
Run Date: 8/9/2010

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	3,876	4.6	3,876	3.2	3,876	16.4 20.4
9 - 11 Years	3,004	4.1	3,004	2.3	3,004	20.8 25.4
12 - 14 Years	3,278	6.6	3,278	2.1	3,278	21.9 22.0
15 - 19 Years	5,589	19.2	5,589	1.8	5,589	19.4 16.3
Total	15,747	10.1	15,747	2.3	15,747	19.5 20.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 77
Run Date: 8/9/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,335	4.3	1,335	4.6	1,335	15.4 19.5
9 - 11 Years	831	3.5	831	3.6	831	16.1 24.8
12 - 14 Years	851	4.9	851	2.7	851	19.6 23.6
15 - 19 Years	824	7.0	824	3.3	824	20.8 17.6
Total	3,841	4.8	3,841	3.7	3,841	17.7 21.1
Black, Not Hispanic						
5 - 8 Years	2,993	2.4	2,993	3.4	2,993	16.3 18.2
9 - 11 Years	1,764	3.3	1,764	2.2	1,764	18.6 25.5
12 - 14 Years	1,727	4.1	1,727	2.2	1,727	19.2 23.9
15 - 19 Years	1,801	4.9	1,801	1.8	1,801	19.0 20.8
Total	8,285	3.5	8,285	2.6	8,285	18.0 21.5
Hispanic						
5 - 8 Years	40,820	3.6	40,820	2.6	40,820	18.0 24.7
9 - 11 Years	21,367	3.3	21,367	2.0	21,367	20.9 31.7
12 - 14 Years	19,869	5.5	19,869	1.8	19,869	20.9 28.7
15 - 19 Years	18,793	9.1	18,793	2.4	18,793	20.0 24.3
Total	100,849	4.9	100,849	2.3	100,849	19.6 26.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 78
Run Date: 8/9/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	14	*	14	*	14	*
15 - 19 Years	10	*	10	*	10	*
Total	61	*	61	*	61	*
Asian						
5 - 8 Years	1,221	5.4	1,221	6.0	1,221	12.1
9 - 11 Years	753	5.4	753	6.4	753	15.5
12 - 14 Years	786	6.0	786	3.1	786	17.3
15 - 19 Years	966	10.7	966	6.7	966	11.1
Total	3,726	6.9	3,726	5.6	3,726	13.6
Pacific Islander						
5 - 8 Years	190	6.3	190	1.1	190	13.2
9 - 11 Years	94	*	94	*	94	*
12 - 14 Years	78	*	78	*	78	*
15 - 19 Years	79	*	79	*	79	*
Total	441	8.2	441	3.6	441	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 79
Run Date: 8/9/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	150	8.7	150	3.3	150	18.7 15.3
9 - 11 Years	85	*	85	*	85	* *
12 - 14 Years	91	*	91	*	91	* *
15 - 19 Years	106	17.9	106	3.8	106	15.1 14.2
Total	432	11.1	432	4.2	432	20.1 17.1
All Other						
5 - 8 Years	3,012	5.0	3,012	3.3	3,012	16.0 20.3
9 - 11 Years	1,637	3.8	1,637	2.4	1,637	17.1 28.2
12 - 14 Years	1,485	7.3	1,485	3.0	1,485	19.5 26.5
15 - 19 Years	1,374	10.6	1,374	2.5	1,374	16.6 23.4
Total	7,508	6.2	7,508	2.9	7,508	17.0 23.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 80
Run Date: 8/9/2010

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	49,742	3.7	49,742	2.8	49,742	17.6 23.6
9 - 11 Years	26,547	3.4	26,547	2.2	26,547	20.2 30.4
12 - 14 Years	24,901	5.5	24,901	1.9	24,901	20.6 27.5
15 - 19 Years	23,953	8.9	23,953	2.6	23,953	19.4 23.2
Total	125,143	5.0	125,143	2.5	125,143	19.1 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 81
Run Date: 8/9/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	118	6.8	118	3.4	118	18.6 12.7
9 - 11 Years	79	*	79	*	79	* *
12 - 14 Years	71	*	71	*	71	* *
15 - 19 Years	71	*	71	*	71	* *
Total	339	5.6	339	2.4	339	16.2 16.5
Black, Not Hispanic						
5 - 8 Years	726	4.4	726	3.7	726	16.7 14.7
9 - 11 Years	379	4.0	379	1.6	379	16.9 22.2
12 - 14 Years	415	5.5	415	3.1	415	18.3 20.5
15 - 19 Years	598	9.9	598	2.3	598	14.9 19.4
Total	2,118	6.1	2,118	2.8	2,118	16.5 18.5
Hispanic						
5 - 8 Years	7,471	3.9	7,471	2.6	7,471	16.8 19.2
9 - 11 Years	4,647	3.8	4,647	2.3	4,647	20.9 21.9
12 - 14 Years	5,635	5.6	5,635	1.1	5,635	20.7 17.1
15 - 19 Years	8,551	21.6	8,551	1.5	8,551	17.8 13.2
Total	26,304	10.0	26,304	1.9	26,304	18.7 17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 82
Run Date: 8/9/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	6	*	6	*	6	*
Total	13	*	13	*	13	*
Asian						
5 - 8 Years	130	3.1	130	3.8	130	11.5
9 - 11 Years	68	*	68	*	68	12.3
12 - 14 Years	56	*	56	*	56	*
15 - 19 Years	81	*	81	*	81	*
Total	335	5.4	335	3.9	335	14.3
Pacific Islander						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	13	*	13	*	13	*
Total	50	*	50	*	50	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 83
Run Date: 8/9/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	77	*	77	*	77	*
9 - 11 Years	43	*	43	*	43	*
12 - 14 Years	34	*	34	*	34	*
15 - 19 Years	40	*	40	*	40	*
Total	194	10.3	194	4.6	194	22.7
All Other						
5 - 8 Years	407	3.2	407	6.6	407	16.2
9 - 11 Years	231	1.3	231	3.9	231	23.4
12 - 14 Years	196	5.6	196	8.7	196	21.4
15 - 19 Years	235	7.7	235	6.0	235	20.4
Total	1,069	4.2	1,069	6.3	1,069	19.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 84
Run Date: 8/9/2010

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	8,946	4.0	8,946	2.9	8,946	16.6 18.6
9 - 11 Years	5,461	3.7	5,461	2.4	5,461	20.3 22.0
12 - 14 Years	6,420	5.6	6,420	1.5	6,420	20.4 17.3
15 - 19 Years	9,595	20.3	9,595	1.7	9,595	17.5 13.8
Total	30,422	9.4	30,422	2.1	30,422	18.3 17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 85
Run Date: 8/9/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	29	*	29	*	29	*
15 - 19 Years	22	*	22	*	22	*
Total	102	9.8	102	2.9	102	16.7 13.7
Black, Not Hispanic						
5 - 8 Years	120	2.5	120	3.3	120	12.5 15.0
9 - 11 Years	96	*	96	*	96	*
12 - 14 Years	91	*	91	*	91	*
15 - 19 Years	119	5.0	119	0.8	119	15.1 20.2
Total	426	4.2	426	2.1	426	13.6 18.5
Hispanic						
5 - 8 Years	503	3.2	503	2.4	503	17.5 22.3
9 - 11 Years	290	3.1	290	1.4	290	19.3 26.9
12 - 14 Years	272	6.6	272	1.8	272	20.2 24.6
15 - 19 Years	339	12.7	339	2.1	339	21.2 19.8
Total	1,404	6.1	1,404	2.0	1,404	19.3 23.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 86
Run Date: 8/9/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	4	*	4	*	4	*
Total	4	*	4	*	4	*
Asian						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	3	*	3	*	3	*
Total	24	*	24	*	24	*
Pacific Islander						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 87
Run Date: 8/9/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	32	*	32	*	32	*
All Other						
5 - 8 Years	55	*	55	*	55	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	27	*	27	*	27	*
Total	129	10.1	129	9.3	129	10.9 16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 88
Run Date: 8/9/2010

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	743	3.5	743	2.8	743	15.7 19.7
9 - 11 Years	442	4.1	442	2.7	442	16.5 24.9
12 - 14 Years	430	7.4	430	2.3	430	19.1 23.0
15 - 19 Years	522	10.9	522	2.3	522	19.5 18.8
Total	2,137	6.2	2,137	2.6	2,137	17.5 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 89
Run Date: 8/9/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	94	*	94	*	94	*
9 - 11 Years	38	*	38	*	38	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	32	*	32	*	32	*
Total	196	5.6	196	3.6	196	16.8
Black, Not Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	7	*	7	*	7	*
Total	18	*	18	*	18	*
Hispanic						
5 - 8 Years	73	*	73	*	73	*
9 - 11 Years	46	*	46	*	46	*
12 - 14 Years	43	*	43	*	43	*
15 - 19 Years	35	*	35	*	35	*
Total	197	5.6	197	1.5	197	19.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 90
Run Date: 8/9/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	5	*	5	*	5	*
Total	15	*	15	*	15	*
Asian						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	14	*	14	*	14	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 91
Run Date: 8/9/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	0	*	0	*	0	* *
Total	2	*	2	*	2	* *
All Other						
5 - 8 Years	36	*	36	*	36	* *
9 - 11 Years	22	*	22	*	22	* *
12 - 14 Years	33	*	33	*	33	* *
15 - 19 Years	22	*	22	*	22	* *
Total	113	8.0	113	6.2	113	15.0 19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 92
Run Date: 8/9/2010

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	221	4.5	221	4.1	221	14.9 16.7
9 - 11 Years	114	2.6	114	6.1	114	11.4 21.1
12 - 14 Years	117	10.3	117	3.4	117	26.5 20.5
15 - 19 Years	104	6.7	104	1.0	104	19.2 22.1
Total	556	5.8	556	3.8	556	17.4 19.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 93
Run Date: 8/9/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	66	*	66	*	66	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 Years	49	*	49	*	49	*
15 - 19 Years	51	*	51	*	51	*
Total	201	7.0	201	2.0	201	17.4 15.9
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	11	*	11	*	11	*
Hispanic						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	19	*	19	*	19	*
Total	62	*	62	*	62	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 94
Run Date: 8/9/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	21	*	21	*	21	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 95
Run Date: 8/9/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	10	*	10	*	10	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 96
Run Date: 8/9/2010

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	98	*	98	*	98	*
9 - 11 Years	60	*	60	*	60	*
12 - 14 Years	69	*	69	*	69	*
15 - 19 Years	82	*	82	*	82	*
Total	309	5.8	309	1.3	309	17.2 18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 97
Run Date: 8/9/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	43	*	43	*	43	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 Years	35	*	35	*	35	*
15 - 19 Years	34	*	34	*	34	*
Total	139	5.8	139	2.2	139	22.3 21.6
Black, Not Hispanic						
5 - 8 Years	221	3.6	221	2.7	221	19.5 18.1
9 - 11 Years	117	1.7	117	1.7	117	14.5 29.9
12 - 14 Years	146	2.7	146	1.4	146	24.0 24.7
15 - 19 Years	161	5.6	161	1.2	161	21.7 26.7
Total	645	3.6	645	1.9	645	20.2 23.9
Hispanic						
5 - 8 Years	1,063	4.5	1,063	2.8	1,063	20.3 26.9
9 - 11 Years	649	4.2	649	2.0	649	20.0 28.0
12 - 14 Years	641	8.6	641	1.1	641	20.4 30.4
15 - 19 Years	598	10.7	598	1.8	598	21.1 25.3
Total	2,951	6.6	2,951	2.1	2,951	20.4 27.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 98
Run Date: 8/9/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	85	*	85	*	85	*
9 - 11 Years	75	*	75	*	75	*
12 - 14 Years	82	*	82	*	82	*
15 - 19 Years	102	20.6	102	6.9	102	16.7 12.7
Total	344	12.5	344	4.9	344	16.3 14.8
Pacific Islander						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	8	*	8	*	8	*
Total	41	*	41	*	41	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 99
Run Date: 8/9/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	7	*	7	*	7	*
Total	52	*	52	*	52	*
All Other						
5 - 8 Years	149	6.0	149	0.7	149	16.1
9 - 11 Years	89	*	89	*	89	*
12 - 14 Years	87	*	87	*	87	*
15 - 19 Years	67	*	67	*	67	*
Total	392	6.9	392	3.3	392	16.3 22.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 100
Run Date: 8/9/2010

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,592	4.8	1,592	2.8	1,592	19.5 23.4
9 - 11 Years	984	4.2	984	2.0	984	19.2 27.4
12 - 14 Years	1,014	7.6	1,014	1.8	1,014	20.3 28.4
15 - 19 Years	977	10.8	977	2.7	977	20.3 23.6
Total	4,567	6.6	4,567	2.4	4,567	19.8 25.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 101
Run Date: 8/9/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	124	8.9	124	1.6	124	14.5 11.3
9 - 11 Years	66	*	66	*	66	* *
12 - 14 Years	63	*	63	*	63	* *
15 - 19 Years	54	*	54	*	54	* *
Total	307	7.5	307	2.6	307	14.7 14.0
Black, Not Hispanic						
5 - 8 Years	23	*	23	*	23	* *
9 - 11 Years	12	*	12	*	12	* *
12 - 14 Years	23	*	23	*	23	* *
15 - 19 Years	12	*	12	*	12	* *
Total	70	*	70	*	70	* *
Hispanic						
5 - 8 Years	1,683	6.4	1,683	2.9	1,683	17.5 21.4
9 - 11 Years	912	4.4	912	1.3	912	20.1 28.6
12 - 14 Years	951	7.0	951	1.2	951	19.8 29.0
15 - 19 Years	792	13.6	792	2.0	792	17.3 21.1
Total	4,338	7.4	4,338	2.0	4,338	18.5 24.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 102
Run Date: 8/9/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	6	*	6	*	6	*
Total	26	*	26	*	26	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	4	*	4	*	4	*
Total	11	*	11	*	11	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 103
Run Date: 8/9/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	78	*	78	*	78	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 Years	48	*	48	*	48	*
15 - 19 Years	39	*	39	*	39	*
Total	199	6.0	199	3.0	199	20.1 23.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 104
Run Date: 8/9/2010

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,920	6.6	1,920	2.8	1,920	17.4 20.9
9 - 11 Years	1,030	4.5	1,030	1.7	1,030	19.6 27.9
12 - 14 Years	1,095	6.7	1,095	1.4	1,095	20.0 27.7
15 - 19 Years	907	12.7	907	2.2	907	17.2 20.4
Total	4,952	7.3	4,952	2.1	4,952	18.4 23.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 105
Run Date: 8/9/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	42	*	42	*	42	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	22	*	22	*	22	*
15 - 19 Years	6	*	6	*	6	*
Total	85	*	85	*	85	*
Black, Not Hispanic						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	10	*	10	*	10	*
Total	54	*	54	*	54	*
Hispanic						
5 - 8 Years	144	4.2	144	4.2	144	17.4
9 - 11 Years	59	*	59	*	59	*
12 - 14 Years	39	*	39	*	39	*
15 - 19 Years	30	*	30	*	30	*
Total	272	5.5	272	2.6	272	18.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 106
Run Date: 8/9/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	20	*	20	*	20	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 107
Run Date: 8/9/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	47	*	47	*	47	* *
9 - 11 Years	27	*	27	*	27	* *
12 - 14 Years	44	*	44	*	44	* *
15 - 19 Years	42	*	42	*	42	* *
Total	160	8.8	160	3.8	160	16.3 20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 108
Run Date: 8/9/2010

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	261	5.7	261	3.4	261	18.0 27.6
9 - 11 Years	120	0.0	120	0.8	120	20.0 31.7
12 - 14 Years	121	7.4	121	1.7	121	17.4 28.9
15 - 19 Years	92	*	92	*	92	* *
Total	594	6.1	594	2.4	594	18.7 28.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 109
Run Date: 8/9/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	4	*	4	*	4	*
Total	44	*	44	*	44	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	8	*	8	*	8	*
Total	24	*	24	*	24	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 110
Run Date: 8/9/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 111
Run Date: 8/9/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	4	*	4	*	4	*
Total	15	*	15	*	15	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 112
Run Date: 8/9/2010

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	31	*	31	*	31	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	20	*	20	*	20	*
15 - 19 Years	16	*	16	*	16	*
Total	86	*	86	*	86	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 113
Run Date: 8/9/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	64	*	64	*	64	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	39	*	39	*	39	*
15 - 19 Years	34	*	34	*	34	*
Total	168	5.4	168	3.0	168	22.0
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	8	*	8	*	8	*
Hispanic						
5 - 8 Years	56	*	56	*	56	*
9 - 11 Years	33	*	33	*	33	*
12 - 14 Years	38	*	38	*	38	*
15 - 19 Years	28	*	28	*	28	*
Total	155	8.4	155	2.6	155	22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 114
Run Date: 8/9/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	23	*	23	*	23	*
15 - 19 Years	12	*	12	*	12	*
Total	85	*	85	*	85	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 115
Run Date: 8/9/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	217	6.9	217	1.4	217	20.3
9 - 11 Years	89	*	89	*	89	*
12 - 14 Years	75	*	75	*	75	*
15 - 19 Years	62	*	62	*	62	*
Total	443	7.0	443	1.6	443	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 116
Run Date: 8/9/2010

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	372	5.9	372	2.4	372	20.4 21.0
9 - 11 Years	171	4.7	171	2.3	171	26.3 21.1
12 - 14 Years	181	6.6	181	0.6	181	22.7 28.7
15 - 19 Years	140	9.3	140	5.0	140	20.7 26.4
Total	864	6.4	864	2.4	864	22.1 23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 117
Run Date: 8/9/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	471	6.8	471	2.8	471	18.5 20.4
9 - 11 Years	202	5.4	202	3.0	202	16.3 26.2
12 - 14 Years	235	5.5	235	1.7	235	16.6 20.4
15 - 19 Years	204	9.8	204	0.5	204	21.6 25.5
Total	1,112	6.8	1,112	2.2	1,112	18.3 22.4
Black, Not Hispanic						
5 - 8 Years	94	*	94	*	94	* *
9 - 11 Years	44	*	44	*	44	* *
12 - 14 Years	49	*	49	*	49	* *
15 - 19 Years	58	*	58	*	58	* *
Total	245	3.7	245	1.6	245	14.3 23.3
Hispanic						
5 - 8 Years	1,159	5.7	1,159	2.4	1,159	17.5 19.9
9 - 11 Years	501	6.2	501	2.2	501	20.0 27.9
12 - 14 Years	411	7.3	411	1.9	411	18.2 26.5
15 - 19 Years	407	10.6	407	1.5	407	20.9 21.4
Total	2,478	6.9	2,478	2.1	2,478	18.7 22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 118
Run Date: 8/9/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	15	*	15	*	15	*
Asian						
5 - 8 Years	107	17.8	107	4.7	107	15.0
9 - 11 Years	75	*	75	*	75	*
12 - 14 Years	63	*	63	*	63	*
15 - 19 Years	125	40.8	125	1.6	125	14.4
Total	370	26.2	370	3.0	370	17.0
Pacific Islander						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	11	*	11	*	11	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 119
Run Date: 8/9/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	127	3.1	127	3.9	127	18.1
9 - 11 Years	49	*	49	*	49	*
12 - 14 Years	50	*	50	*	50	*
15 - 19 Years	40	*	40	*	40	*
Total	266	4.1	266	3.4	266	18.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 120
Run Date: 8/9/2010

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,971	6.2	1,971	2.7	1,971	17.5 19.5
9 - 11 Years	873	6.8	873	2.5	873	18.4 26.5
12 - 14 Years	814	7.7	814	1.6	814	17.8 24.4
15 - 19 Years	840	14.4	840	1.5	840	19.6 21.4
Total	4,498	8.1	4,498	2.2	4,498	18.1 22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 121
Run Date: 8/9/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	14	*	14	*	14	*
15 - 19 Years	27	*	27	*	27	*
Total	61	*	61	*	61	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Hispanic						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	10	*	10	*	10	*
Total	28	*	28	*	28	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 122
Run Date: 8/9/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 123
Run Date: 8/9/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	4	*	4	*	4	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	11	*	11	*	11	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 124
Run Date: 8/9/2010

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	26	*	26	*	26	*
15 - 19 Years	41	*	41	*	41	*
Total	105	7.6	105	1.0	105	19.0 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 125
Run Date: 8/9/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	4	*	4	*	4	*
Total	14	*	14	*	14	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Hispanic						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	19	*	19	*	19	*
Total	104	3.8	104	4.8	104	20.2 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 126
Run Date: 8/9/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 127
Run Date: 8/9/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	2	*	2	*	2	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	0	*	0	*	0	* *
Total	4	*	4	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 128
Run Date: 8/9/2010

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	46	*	46	*	46	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 Years	27	*	27	*	27	*
15 - 19 Years	24	*	24	*	24	*
Total	124	3.2	124	4.0	124	16.9 21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 129
Run Date: 8/9/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	7	*	7	*	7	*
Total	33	*	33	*	33	*
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	6	*	6	*	6	*
Total	17	*	17	*	17	*
Hispanic						
5 - 8 Years	847	7.2	847	1.4	847	20.4
9 - 11 Years	487	5.3	487	1.4	487	22.6
12 - 14 Years	445	7.6	445	1.3	445	22.5
15 - 19 Years	461	16.5	461	1.3	461	21.3
Total	2,240	8.8	2,240	1.4	2,240	21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 130
Run Date: 8/9/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	1	*	1	*	1	* *
Total	3	*	3	*	3	* *
Asian						
5 - 8 Years	6	*	6	*	6	* *
9 - 11 Years	2	*	2	*	2	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	3	*	3	*	3	* *
Total	12	*	12	*	12	* *
Pacific Islander						
5 - 8 Years	2	*	2	*	2	* *
9 - 11 Years	2	*	2	*	2	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	0	*	0	*	0	* *
Total	5	*	5	*	5	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 131
Run Date: 8/9/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	4	*	4	*	4	*
All Other						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	18	*	18	*	18	*
15 - 19 Years	24	*	24	*	24	*
Total	100	3.0	100	4.0	100	18.0 28.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 132
Run Date: 8/9/2010

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	921	6.7	921	1.4	921	20.4 22.3
9 - 11 Years	516	5.2	516	1.7	516	22.3 26.7
12 - 14 Years	473	7.4	473	1.3	473	22.2 26.4
15 - 19 Years	504	15.9	504	1.4	504	20.4 20.0
Total	2,414	8.5	2,414	1.4	2,414	21.2 23.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 133
Run Date: 8/9/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	60	*	60	*	60	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	38	*	38	*	38	*
Total	156	4.5	156	2.6	156	20.5 16.7
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	3	*	3	*	3	*
Total	14	*	14	*	14	*
Hispanic						
5 - 8 Years	273	7.0	273	1.1	273	17.6 27.1
9 - 11 Years	114	4.4	114	1.8	114	29.8 25.4
12 - 14 Years	109	8.3	109	0.9	109	22.9 32.1
15 - 19 Years	110	21.8	110	0.0	110	20.0 24.5
Total	606	9.4	606	1.0	606	21.3 27.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 134
Run Date: 8/9/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	8	*	8	*	8	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 135
Run Date: 8/9/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	2	*	2	*	2	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	7	*	7	*	7	*	*
All Other							
5 - 8 Years	148	3.4	148	4.7	148	12.2	20.3
9 - 11 Years	65	*	65	*	65	*	*
12 - 14 Years	60	*	60	*	60	*	*
15 - 19 Years	39	*	39	*	39	*	*
Total	312	7.1	312	3.8	312	16.3	22.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 136
Run Date: 8/9/2010

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	495	5.9	495	2.4	495	16.2 23.4
9 - 11 Years	219	4.6	219	1.4	219	25.6 27.4
12 - 14 Years	203	9.9	203	3.0	203	22.2 28.1
15 - 19 Years	194	17.0	194	0.5	194	17.5 22.2
Total	1,111	8.3	1,111	2.0	1,111	19.4 24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 137
Run Date: 8/9/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	179	4.5	179	2.8	179	16.8 15.1
9 - 11 Years	80	*	80	*	80	* *
12 - 14 Years	88	*	88	*	88	* *
15 - 19 Years	76	*	76	*	76	* *
Total	423	6.9	423	2.1	423	17.7 17.5
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 Years	4	*	4	*	4	* *
15 - 19 Years	6	*	6	*	6	* *
Total	16	*	16	*	16	* *
Hispanic						
5 - 8 Years	49	*	49	*	49	* *
9 - 11 Years	13	*	13	*	13	* *
12 - 14 Years	15	*	15	*	15	* *
15 - 19 Years	13	*	13	*	13	* *
Total	90	*	90	*	90	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 138
Run Date: 8/9/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 139
Run Date: 8/9/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	9	*	9	*	9	*
Total	40	*	40	*	40	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 140
Run Date: 8/9/2010

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	251	4.4	251	2.8	251	14.7 14.3
9 - 11 Years	105	9.5	105	2.9	105	12.4 21.9
12 - 14 Years	111	8.1	111	0.9	111	22.5 19.8
15 - 19 Years	105	5.7	105	1.0	105	25.7 16.2
Total	572	6.3	572	2.1	572	17.8 17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 141
Run Date: 8/9/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	316	4.7	316	3.8	316	15.8 12.0
9 - 11 Years	108	2.8	108	7.4	108	9.3 15.7
12 - 14 Years	140	3.6	140	4.3	140	17.1 20.0
15 - 19 Years	163	5.5	163	3.7	163	17.2 15.3
Total	727	4.4	727	4.4	727	15.4 14.9
Black, Not Hispanic						
5 - 8 Years	41	*	41	*	41	* *
9 - 11 Years	21	*	21	*	21	* *
12 - 14 Years	29	*	29	*	29	* *
15 - 19 Years	32	*	32	*	32	* *
Total	123	0.8	123	4.9	123	15.4 14.6
Hispanic						
5 - 8 Years	4,491	4.3	4,491	2.5	4,491	16.6 22.3
9 - 11 Years	3,027	3.3	3,027	1.8	3,027	19.7 24.5
12 - 14 Years	3,101	6.7	3,101	1.8	3,101	20.7 23.1
15 - 19 Years	3,970	13.5	3,970	1.5	3,970	20.7 17.6
Total	14,589	7.1	14,589	2.0	14,589	19.2 21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 142
Run Date: 8/9/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	2	*	2	*	2	*
Total	19	*	19	*	19	*
Asian						
5 - 8 Years	280	6.8	280	5.4	280	12.1
9 - 11 Years	199	6.0	199	6.5	199	21.1
12 - 14 Years	231	4.8	231	5.6	231	18.2
15 - 19 Years	287	13.9	287	4.5	287	11.8
Total	997	8.2	997	5.4	997	15.2
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	4	*	4	*	4	*
Total	28	*	28	*	28	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 143
Run Date: 8/9/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	41	*	41	*	41	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	53	*	53	*	53	*
Total	147	6.8	147	3.4	147	25.2
All Other						
5 - 8 Years	321	6.2	321	4.0	321	16.8
9 - 11 Years	154	6.5	154	5.2	154	21.4
12 - 14 Years	176	8.0	176	2.8	176	24.4
15 - 19 Years	211	10.4	211	2.4	211	15.6
Total	862	7.7	862	3.6	862	18.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 144
Run Date: 8/9/2010

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	5,506	4.5	5,506	2.9	5,506	16.2 21.0
9 - 11 Years	3,541	3.6	3,541	2.4	3,541	19.3 23.5
12 - 14 Years	3,723	6.5	3,723	2.3	3,723	20.3 22.2
15 - 19 Years	4,722	13.0	4,722	1.8	4,722	19.8 16.9
Total	17,492	7.0	17,492	2.4	17,492	18.7 20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 145
Run Date: 8/9/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	10	*	10	*	10	*
Total	36	*	36	*	36	*
Black, Not Hispanic						
5 - 8 Years	35	*	35	*	35	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 Years	32	*	32	*	32	*
15 - 19 Years	40	*	40	*	40	*
Total	135	5.2	135	0.7	135	17.8 24.4
Hispanic						
5 - 8 Years	98	*	98	*	98	*
9 - 11 Years	58	*	58	*	58	*
12 - 14 Years	61	*	61	*	61	*
15 - 19 Years	70	*	70	*	70	*
Total	287	3.8	287	1.4	287	17.1 25.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 146
Run Date: 8/9/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaska Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 147
Run Date: 8/9/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	141	2.8	141	0.0	141	22.7
9 - 11 Years	50	*	50	*	50	*
12 - 14 Years	59	*	59	*	59	*
15 - 19 Years	60	*	60	*	60	*
Total	310	6.1	310	1.0	310	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 148
Run Date: 8/9/2010

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	286	2.4	286	1.0	286	21.3 23.1
9 - 11 Years	141	3.5	141	0.0	141	15.6 28.4
12 - 14 Years	162	4.9	162	1.2	162	16.7 34.0
15 - 19 Years	181	10.5	181	2.2	181	17.7 22.1
Total	770	5.1	770	1.2	770	18.4 26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 149
Run Date: 8/9/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	145	6.2	145	2.1	145	14.5 16.6
9 - 11 Years	77	*	77	*	77	* *
12 - 14 Years	72	*	72	*	72	* *
15 - 19 Years	89	*	89	*	89	* *
Total	383	7.3	383	1.8	383	14.6 17.0
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 Years	2	*	2	*	2	* *
15 - 19 Years	4	*	4	*	4	* *
Total	10	*	10	*	10	* *
Hispanic						
5 - 8 Years	133	7.5	133	4.5	133	18.8 18.8
9 - 11 Years	47	*	47	*	47	* *
12 - 14 Years	45	*	45	*	45	* *
15 - 19 Years	33	*	33	*	33	* *
Total	258	8.1	258	3.5	258	18.2 26.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 150
Run Date: 8/9/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	5	*	5	*	5	*
Total	17	*	17	*	17	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 151
Run Date: 8/9/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	266	3.8	266	4.1	266	17.3
9 - 11 Years	149	6.0	149	4.0	149	24.2
12 - 14 Years	118	3.4	118	2.5	118	24.6
15 - 19 Years	107	11.2	107	7.5	107	28.0
Total	640	5.5	640	4.4	640	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 152
Run Date: 8/9/2010

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	553	5.2	553	3.8	553	15.0 17.5
9 - 11 Years	276	5.8	276	4.3	276	15.6 23.2
12 - 14 Years	242	7.4	242	2.1	242	17.4 26.4
15 - 19 Years	239	10.5	239	3.3	239	15.9 23.0
Total	1,310	6.7	1,310	3.5	1,310	15.7 21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 153
Run Date: 8/9/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	30	*	30	*	30	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	24	*	24	*	24	*
Total	84	*	84	*	84	*
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	4	*	4	*	4	*
Total	11	*	11	*	11	*
Hispanic						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	6	*	6	*	6	*
Total	32	*	32	*	32	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 154
Run Date: 8/9/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 155
Run Date: 8/9/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	2	*	2	*	2	*
Total	30	*	30	*	30	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 156
Run Date: 8/9/2010

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	62	*	62	*	62	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	38	*	38	*	38	*
15 - 19 Years	42	*	42	*	42	*
Total	166	5.4	166	4.2	166	18.1 24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 157
Run Date: 8/9/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	532	4.3	532	6.2	532	13.2 14.8
9 - 11 Years	246	4.1	246	6.1	246	17.5 15.9
12 - 14 Years	268	5.6	268	2.2	268	16.4 19.8
15 - 19 Years	281	8.5	281	4.3	281	18.1 20.6
Total	1,327	5.4	1,327	5.0	1,327	15.7 17.3
Black, Not Hispanic						
5 - 8 Years	262	5.0	262	4.2	262	11.1 14.1
9 - 11 Years	131	3.8	131	3.1	131	12.2 16.0
12 - 14 Years	180	5.6	180	2.2	180	16.7 20.6
15 - 19 Years	287	3.1	287	0.7	287	20.2 15.7
Total	860	4.3	860	2.4	860	15.5 16.3
Hispanic						
5 - 8 Years	4,709	4.2	4,709	3.6	4,709	16.6 19.2
9 - 11 Years	2,521	3.7	2,521	2.9	2,521	19.4 27.0
12 - 14 Years	2,612	5.6	2,612	2.4	2,612	20.0 24.4
15 - 19 Years	2,726	10.0	2,726	2.3	2,726	17.6 21.2
Total	12,568	5.6	12,568	2.9	12,568	18.1 22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 158
Run Date: 8/9/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	45	*	45	*	45	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 Years	34	*	34	*	34	*
15 - 19 Years	34	*	34	*	34	*
Total	134	12.7	134	7.5	134	12.7
Pacific Islander						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	5	*	5	*	5	*
Total	23	*	23	*	23	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 159
Run Date: 8/9/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	8	*	8	*	8	*
Total	47	*	47	*	47	*
All Other						
5 - 8 Years	524	5.2	524	4.8	524	14.9
9 - 11 Years	262	4.6	262	3.8	262	24.4
12 - 14 Years	261	5.7	261	2.7	261	18.8
15 - 19 Years	269	11.2	269	1.9	269	20.8
Total	1,316	6.4	1,316	3.6	1,316	18.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 160
Run Date: 8/9/2010

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,108	4.3	6,108	4.0	6,108	15.9 18.1
9 - 11 Years	3,195	3.9	3,195	3.2	3,195	18.5 25.4
12 - 14 Years	3,369	5.6	3,369	2.4	3,369	19.5 23.2
15 - 19 Years	3,612	9.5	3,612	2.4	3,612	17.9 20.6
Total	16,284	5.7	16,284	3.2	16,284	17.6 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 161
Run Date: 8/9/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,052	4.6	1,052	4.8	1,052	14.4 12.0
9 - 11 Years	538	3.2	538	3.7	538	14.3 17.5
12 - 14 Years	596	4.0	596	2.3	596	16.1 22.3
15 - 19 Years	786	7.4	786	3.2	786	18.8 21.1
Total	2,972	4.9	2,972	3.7	2,972	15.9 17.5
Black, Not Hispanic						
5 - 8 Years	1,013	3.8	1,013	2.7	1,013	17.5 15.2
9 - 11 Years	538	3.5	538	2.0	538	16.7 26.8
12 - 14 Years	616	4.4	616	0.8	616	18.2 28.1
15 - 19 Years	766	8.4	766	1.8	766	16.4 26.6
Total	2,933	5.1	2,933	1.9	2,933	17.2 23.0
Hispanic						
5 - 8 Years	2,618	3.9	2,618	2.7	2,618	17.9 21.7
9 - 11 Years	1,166	3.9	1,166	1.6	1,166	18.7 32.9
12 - 14 Years	1,000	5.6	1,000	1.2	1,000	20.0 29.0
15 - 19 Years	950	12.4	950	2.6	950	17.6 25.6
Total	5,734	5.6	5,734	2.2	5,734	18.4 25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 162
Run Date: 8/9/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	84	*	84	*	84	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 Years	31	*	31	*	31	*
15 - 19 Years	22	*	22	*	22	*
Total	165	7.9	165	2.4	165	18.2 32.7
Asian						
5 - 8 Years	854	11.8	854	5.2	854	11.9 17.3
9 - 11 Years	569	10.2	569	5.8	569	15.8 17.9
12 - 14 Years	759	13.3	759	2.2	759	15.8 13.7
15 - 19 Years	1,195	20.4	1,195	5.1	1,195	13.7 11.7
Total	3,377	14.9	3,377	4.6	3,377	14.1 14.6
Pacific Islander						
5 - 8 Years	36	*	36	*	36	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	24	*	24	*	24	*
Total	95	*	95	*	95	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 163
Run Date: 8/9/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 Years	14	*	14	*	14	*
15 - 19 Years	16	*	16	*	16	*
Total	83	*	83	*	83	*
All Other						
5 - 8 Years	3,409	5.7	3,409	3.0	3,409	16.2
9 - 11 Years	1,816	5.2	1,816	2.5	1,816	16.7
12 - 14 Years	1,903	7.0	1,903	3.0	1,903	18.6
15 - 19 Years	2,103	12.0	2,103	2.8	2,103	18.6
Total	9,231	7.3	9,231	2.8	9,231	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 164
Run Date: 8/9/2010

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	9,105	5.4	9,105	3.3	9,105	16.2 18.1
9 - 11 Years	4,691	5.1	4,691	2.7	4,691	16.9 24.6
12 - 14 Years	4,932	7.0	4,932	2.2	4,932	18.1 23.3
15 - 19 Years	5,862	12.7	5,862	3.2	5,862	17.2 20.6
Total	24,590	7.4	24,590	2.9	24,590	16.9 21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 165
Run Date: 8/9/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	10	*	10	*	10	*
15 - 19 Years	9	*	9	*	9	*
Total	44	*	44	*	44	*
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	7	*	7	*	7	*
Hispanic						
5 - 8 Years	164	6.7	164	0.6	164	23.8
9 - 11 Years	77	*	77	*	77	*
12 - 14 Years	90	*	90	*	90	*
15 - 19 Years	96	*	96	*	96	*
Total	427	10.3	427	0.7	427	25.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 166
Run Date: 8/9/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 167
Run Date: 8/9/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 Years	28	*	28	*	28	*
15 - 19 Years	16	*	16	*	16	*
Total	100	8.0	100	0.0	100	24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 168
Run Date: 8/9/2010

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	228	7.0	228	0.9	228	23.2 23.7
9 - 11 Years	104	7.7	104	1.9	104	26.9 26.0
12 - 14 Years	131	9.2	131	0.8	131	26.7 25.2
15 - 19 Years	122	18.9	122	1.6	122	24.6 27.0
Total	585	10.1	585	1.2	585	25.0 25.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 169
Run Date: 8/9/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	474	5.1	474	4.2	474	16.5 14.1
9 - 11 Years	187	2.7	187	2.1	187	19.8 18.2
12 - 14 Years	209	4.8	209	3.3	209	15.8 19.1
15 - 19 Years	250	4.4	250	2.4	250	15.6 16.0
Total	1,120	4.5	1,120	3.3	1,120	16.7 16.2
Black, Not Hispanic						
5 - 8 Years	437	4.6	437	5.9	437	12.6 11.2
9 - 11 Years	215	3.3	215	2.3	215	12.6 20.9
12 - 14 Years	239	5.4	239	3.3	239	21.3 19.2
15 - 19 Years	316	7.0	316	1.6	316	22.5 20.3
Total	1,207	5.1	1,207	3.6	1,207	16.9 16.9
Hispanic						
5 - 8 Years	5,333	4.6	5,333	3.4	5,333	15.7 20.6
9 - 11 Years	2,943	4.2	2,943	2.6	2,943	19.6 25.7
12 - 14 Years	2,970	5.7	2,970	2.4	2,970	18.9 24.8
15 - 19 Years	3,555	11.5	3,555	3.4	3,555	18.8 21.3
Total	14,801	6.4	14,801	3.0	14,801	17.9 22.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 170
Run Date: 8/9/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	16	*	16	*	16	*
Asian						
5 - 8 Years	52	*	52	*	52	*
9 - 11 Years	31	*	31	*	31	*
12 - 14 Years	43	*	43	*	43	*
15 - 19 Years	42	*	42	*	42	*
Total	168	8.9	168	7.1	168	11.3
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	4	*	4	*	4	*
Total	20	*	20	*	20	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 171
Run Date: 8/9/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	18	*	18	*	18	*
All Other						
5 - 8 Years	1,151	5.9	1,151	3.4	1,151	16.3
9 - 11 Years	581	5.5	581	5.7	581	17.9
12 - 14 Years	540	7.2	540	3.9	540	20.4
15 - 19 Years	547	9.7	547	4.9	547	21.6
Total	2,819	6.8	2,819	4.3	2,819	18.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 172
Run Date: 8/9/2010

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	7,469	4.8	7,469	3.6	7,469	15.7	19.0
9 - 11 Years	3,965	4.4	3,965	3.1	3,965	19.0	24.4
12 - 14 Years	4,013	6.0	4,013	2.8	4,013	19.0	24.2
15 - 19 Years	4,722	10.6	4,722	3.5	4,722	19.2	20.8
Total	20,169	6.3	20,169	3.3	20,169	17.8	21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 173
Run Date: 8/9/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	2,113	5.7	2,113	2.5	2,113	16.0 19.8
9 - 11 Years	1,040	5.2	1,040	2.8	1,040	20.4 25.4
12 - 14 Years	1,090	9.0	1,090	2.1	1,090	19.1 25.1
15 - 19 Years	902	11.0	902	2.8	902	17.4 22.8
Total	5,145	7.2	5,145	2.5	5,145	17.8 22.6
Black, Not Hispanic						
5 - 8 Years	531	1.5	531	4.0	531	17.1 18.5
9 - 11 Years	285	2.1	285	1.8	285	21.8 24.9
12 - 14 Years	332	4.5	332	1.5	332	19.0 25.6
15 - 19 Years	345	7.8	345	2.3	345	14.5 24.3
Total	1,493	3.8	1,493	2.6	1,493	17.8 22.6
Hispanic						
5 - 8 Years	7,533	4.7	7,533	2.5	7,533	17.8 23.1
9 - 11 Years	3,797	4.5	3,797	1.6	3,797	20.7 28.0
12 - 14 Years	3,643	6.8	3,643	1.4	3,643	20.8 25.8
15 - 19 Years	3,681	12.7	3,681	1.9	3,681	19.1 21.6
Total	18,654	6.6	18,654	2.0	18,654	19.2 24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 174
Run Date: 8/9/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	38	*	38	*	38	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	18	*	18	*	18	*
15 - 19 Years	16	*	16	*	16	*
Total	87	*	87	*	87	*
Asian						
5 - 8 Years	218	8.3	218	9.6	218	14.7
9 - 11 Years	121	6.6	121	5.0	121	14.0
12 - 14 Years	150	11.3	150	5.3	150	8.0
15 - 19 Years	198	17.7	198	3.5	198	11.1
Total	687	11.4	687	6.1	687	12.1
Pacific Islander						
5 - 8 Years	49	*	49	*	49	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	25	*	25	*	25	*
15 - 19 Years	19	*	19	*	19	*
Total	117	12.8	117	4.3	117	22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 175
Run Date: 8/9/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	161	6.8	161	8.1	161	13.0 21.1
9 - 11 Years	91	*	91	*	91	* *
12 - 14 Years	81	*	81	*	81	* *
15 - 19 Years	82	*	82	*	82	* *
Total	415	8.9	415	7.2	415	15.4 19.0
All Other						
5 - 8 Years	3,102	6.0	3,102	3.3	3,102	17.0 18.5
9 - 11 Years	1,497	5.3	1,497	3.2	1,497	20.8 23.2
12 - 14 Years	1,418	7.3	1,418	2.9	1,418	21.5 21.2
15 - 19 Years	1,410	9.9	1,410	2.7	1,410	18.6 19.7
Total	7,427	6.8	7,427	3.1	7,427	18.9 20.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 176
Run Date: 8/9/2010

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	13,745	5.1	13,745	2.9	13,745	17.1	21.2
9 - 11 Years	6,870	4.8	6,870	2.3	6,870	20.7	26.1
12 - 14 Years	6,757	7.3	6,757	2.0	6,757	20.4	24.3
15 - 19 Years	6,653	11.7	6,653	2.4	6,653	18.1	21.2
Total	34,025	6.8	34,025	2.5	34,025	18.7	22.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 177
Run Date: 8/9/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	55	*	55	*	55	*
9 - 11 Years	37	*	37	*	37	*
12 - 14 Years	37	*	37	*	37	*
15 - 19 Years	41	*	41	*	41	*
Total	170	5.9	170	5.3	170	13.5 21.8
Black, Not Hispanic						
5 - 8 Years	272	3.3	272	2.9	272	19.5 21.7
9 - 11 Years	155	1.3	155	0.6	155	16.1 22.6
12 - 14 Years	145	1.4	145	0.0	145	26.2 31.7
15 - 19 Years	155	6.5	155	1.9	155	18.7 27.7
Total	727	3.2	727	1.7	727	19.9 25.2
Hispanic						
5 - 8 Years	1,057	4.7	1,057	1.4	1,057	20.2 27.5
9 - 11 Years	474	4.4	474	1.7	474	19.0 37.1
12 - 14 Years	442	8.1	442	2.3	442	24.2 29.2
15 - 19 Years	372	14.8	372	2.2	372	19.1 21.0
Total	2,345	6.9	2,345	1.7	2,345	20.5 28.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 178
Run Date: 8/9/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*
Asian						
5 - 8 Years	897	6.8	897	4.6	897	12.7
9 - 11 Years	666	5.6	666	4.7	666	17.1
12 - 14 Years	770	6.1	770	4.7	770	12.7
15 - 19 Years	988	11.8	988	7.0	988	9.9
Total	3,321	7.9	3,321	5.3	3,321	12.8
Pacific Islander						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	9	*	9	*	9	*
Total	30	*	30	*	30	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 179
Run Date: 8/9/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	8	*	8	*	8	*
Total	44	*	44	*	44	*
All Other						
5 - 8 Years	264	9.1	264	2.7	264	12.9
9 - 11 Years	137	4.4	137	1.5	137	16.1
12 - 14 Years	147	4.8	147	0.0	147	19.0
15 - 19 Years	173	6.9	173	2.9	173	18.5
Total	721	6.8	721	1.9	721	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 180
Run Date: 8/9/2010

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,575	5.7	2,575	2.9	2,575	16.5 20.9
9 - 11 Years	1,482	4.5	1,482	2.9	1,482	17.4 22.8
12 - 14 Years	1,559	6.2	1,559	3.2	1,559	18.1 19.1
15 - 19 Years	1,747	11.5	1,747	4.9	1,747	13.5 14.3
Total	7,363	7.0	7,363	3.4	7,363	16.3 19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 181
Run Date: 8/9/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	589	4.9	589	4.1	589	14.3 17.8
9 - 11 Years	299	4.3	299	2.0	299	16.1 23.4
12 - 14 Years	379	5.5	379	3.7	379	17.7 20.6
15 - 19 Years	350	8.0	350	2.0	350	14.9 24.3
Total	1,617	5.6	1,617	3.2	1,617	15.5 20.9
Black, Not Hispanic						
5 - 8 Years	669	2.1	669	5.5	669	14.3 15.5
9 - 11 Years	363	1.4	363	1.9	363	18.2 22.0
12 - 14 Years	450	2.2	450	0.9	450	19.8 23.1
15 - 19 Years	357	6.2	357	1.7	357	19.9 22.4
Total	1,839	2.8	1,839	2.9	1,839	17.5 20.0
Hispanic						
5 - 8 Years	3,960	4.4	3,960	3.3	3,960	16.4 22.6
9 - 11 Years	1,825	3.2	1,825	2.5	1,825	18.3 30.2
12 - 14 Years	1,867	5.1	1,867	1.2	1,867	21.6 28.5
15 - 19 Years	1,532	8.7	1,532	1.5	1,532	19.8 24.5
Total	9,184	5.0	9,184	2.4	9,184	18.4 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 182
Run Date: 8/9/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	11	*	11	*	11	*
Total	28	*	28	*	28	*
Asian						
5 - 8 Years	459	13.5	459	4.6	459	10.5
9 - 11 Years	233	12.0	233	7.3	233	14.2
12 - 14 Years	451	11.1	451	2.0	451	12.6
15 - 19 Years	799	19.0	799	6.0	799	13.0
Total	1,942	15.0	1,942	4.9	1,942	12.5
Pacific Islander						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	15	*	15	*	15	*
Total	76	*	76	*	76	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 183
Run Date: 8/9/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	108	7.4	108	6.5	108	10.2 16.7
9 - 11 Years	54	*	54	*	54	* *
12 - 14 Years	44	*	44	*	44	* *
15 - 19 Years	41	*	41	*	41	* *
Total	247	10.9	247	6.9	247	12.6 17.4
All Other						
5 - 8 Years	2,427	4.6	2,427	3.5	2,427	16.9 19.6
9 - 11 Years	1,231	5.3	1,231	3.0	1,231	17.1 25.8
12 - 14 Years	1,255	7.1	1,255	1.9	1,255	18.4 24.5
15 - 19 Years	1,242	11.5	1,242	3.1	1,242	19.2 20.5
Total	6,155	6.6	6,155	3.0	6,155	17.7 22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 184
Run Date: 8/9/2010

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	8,249	4.8	8,249	3.7	8,249	15.8 20.3
9 - 11 Years	4,021	4.3	4,021	2.8	4,021	17.5 26.7
12 - 14 Years	4,471	6.1	4,471	1.8	4,471	19.2 25.0
15 - 19 Years	4,347	11.3	4,347	2.9	4,347	17.9 21.6
Total	21,088	6.3	21,088	3.0	21,088	17.3 22.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 185
Run Date: 8/9/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	209	6.7	209	1.9	209	12.9 13.4
9 - 11 Years	76	*	76	*	76	* *
12 - 14 Years	101	6.9	101	1.0	101	24.8 11.9
15 - 19 Years	86	*	86	*	86	* *
Total	472	6.4	472	2.1	472	17.8 15.9
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 Years	3	*	3	*	3	* *
15 - 19 Years	3	*	3	*	3	* *
Total	15	*	15	*	15	* *
Hispanic						
5 - 8 Years	351	3.4	351	1.7	351	19.1 23.9
9 - 11 Years	175	6.3	175	0.0	175	21.7 29.7
12 - 14 Years	177	9.0	177	1.1	177	17.5 28.2
15 - 19 Years	140	12.9	140	1.4	140	15.7 25.0
Total	843	6.8	843	1.2	843	18.7 26.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 186
Run Date: 8/9/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	17	*	17	*	17	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 187
Run Date: 8/9/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
All Other						
5 - 8 Years	122	8.2	122	3.3	122	14.8
9 - 11 Years	76	*	76	*	76	*
12 - 14 Years	60	*	60	*	60	*
15 - 19 Years	40	*	40	*	40	*
Total	298	5.7	298	3.0	298	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 188
Run Date: 8/9/2010

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	702	5.3	702	2.0	702	16.4 19.2
9 - 11 Years	333	4.8	333	0.6	333	21.3 25.8
12 - 14 Years	346	7.5	346	1.7	346	18.5 21.4
15 - 19 Years	272	9.6	272	3.3	272	16.9 24.3
Total	1,653	6.4	1,653	1.9	1,653	17.9 21.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 189
Run Date: 8/9/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	15	*	15	*	15	*
15 - 19 Years	33	*	33	*	33	*
Total	99	*	99	*	99	*
Black, Not Hispanic						
5 - 8 Years	48	*	48	*	48	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 Years	20	*	20	*	20	*
15 - 19 Years	44	*	44	*	44	*
Total	138	5.8	138	2.9	138	22.5 29.0
Hispanic						
5 - 8 Years	1,130	5.1	1,130	1.5	1,130	21.1 24.4
9 - 11 Years	432	4.2	432	1.4	432	24.1 27.5
12 - 14 Years	387	5.9	387	0.8	387	25.3 29.2
15 - 19 Years	311	14.1	311	0.6	311	22.8 26.4
Total	2,260	6.3	2,260	1.2	2,260	22.6 26.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 190
Run Date: 8/9/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	26	*	26	*	26	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 Years	13	*	13	*	13	*
15 - 19 Years	29	*	29	*	29	*
Total	87	*	87	*	87	*
Pacific Islander						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	14	*	14	*	14	*
Total	96	*	96	*	96	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 191
Run Date: 8/9/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	21	*	21	*	21	*
15 - 19 Years	20	*	20	*	20	*
Total	78	*	78	*	78	*
All Other						
5 - 8 Years	804	4.5	804	1.5	804	19.7
9 - 11 Years	413	4.8	413	3.1	413	22.3
12 - 14 Years	376	6.9	376	1.6	376	22.1
15 - 19 Years	380	11.1	380	2.1	380	19.7
Total	1,973	6.3	1,973	2.0	1,973	20.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 192
Run Date: 8/9/2010

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,107	4.8	2,107	1.4	2,107	20.6 25.0
9 - 11 Years	952	4.6	952	2.3	952	22.8 27.7
12 - 14 Years	843	6.4	843	1.4	843	23.6 26.2
15 - 19 Years	832	11.8	832	1.8	832	20.7 24.8
Total	4,734	6.3	4,734	1.7	4,734	21.6 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 193
Run Date: 8/9/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	219	5.9	219	1.4	219	19.2 16.0
9 - 11 Years	102	2.0	102	1.0	102	19.6 25.5
12 - 14 Years	113	8.0	113	1.8	113	19.5 24.8
15 - 19 Years	79	*	79	*	79	* *
Total	513	5.8	513	1.6	513	19.7 21.2
Black, Not Hispanic						
5 - 8 Years	33	*	33	*	33	* *
9 - 11 Years	26	*	26	*	26	* *
12 - 14 Years	24	*	24	*	24	* *
15 - 19 Years	19	*	19	*	19	* *
Total	102	3.9	102	2.0	102	21.6 23.5
Hispanic						
5 - 8 Years	2,211	8.3	2,211	1.8	2,211	20.0 24.2
9 - 11 Years	1,161	5.9	1,161	1.6	1,161	22.0 27.8
12 - 14 Years	902	9.0	902	1.0	902	25.4 27.4
15 - 19 Years	848	15.0	848	1.2	848	20.8 25.0
Total	5,122	9.0	5,122	1.5	5,122	21.5 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 194
Run Date: 8/9/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	6	*	6	*	6	*
Total	34	*	34	*	34	*
Asian						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	12	*	12	*	12	*
Total	44	*	44	*	44	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 195
Run Date: 8/9/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	10	*	10	*	10	*
Total	22	*	22	*	22	*
All Other						
5 - 8 Years	386	6.2	386	1.8	386	18.9
9 - 11 Years	203	5.4	203	2.0	203	16.3
12 - 14 Years	141	5.7	141	1.4	141	21.3
15 - 19 Years	159	10.7	159	4.4	159	18.2
Total	889	6.7	889	2.2	889	18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 196
Run Date: 8/9/2010

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,883	7.8	2,883	1.8	2,883	19.7 22.8
9 - 11 Years	1,513	5.5	1,513	1.6	1,513	20.8 27.6
12 - 14 Years	1,200	8.2	1,200	1.1	1,200	24.4 26.3
15 - 19 Years	1,133	13.9	1,133	1.8	1,133	20.5 23.8
Total	6,729	8.4	6,729	1.6	6,729	20.9 24.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 197
Run Date: 8/9/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	178	8.4	178	1.1	178	19.1 21.3
9 - 11 Years	96	*	96	*	96	* *
12 - 14 Years	115	6.1	115	0.9	115	17.4 28.7
15 - 19 Years	133	2.3	133	2.3	133	16.5 22.6
Total	522	5.4	522	2.3	522	17.6 25.1
Black, Not Hispanic						
5 - 8 Years	99	*	99	*	99	* *
9 - 11 Years	58	*	58	*	58	* *
12 - 14 Years	56	*	56	*	56	* *
15 - 19 Years	64	*	64	*	64	* *
Total	277	4.7	277	1.1	277	19.5 20.9
Hispanic						
5 - 8 Years	3,015	4.2	3,015	1.6	3,015	19.2 24.7
9 - 11 Years	1,326	3.8	1,326	1.5	1,326	18.6 32.5
12 - 14 Years	1,114	7.0	1,114	2.2	1,114	21.1 30.3
15 - 19 Years	963	12.1	963	2.6	963	18.5 27.4
Total	6,418	5.8	6,418	1.8	6,418	19.3 27.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 198
Run Date: 8/9/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	8	*	8	*	8	*
15 - 19 Years	9	*	9	*	9	*
Total	30	*	30	*	30	*
Asian						
5 - 8 Years	1,022	5.8	1,022	7.2	1,022	13.8
9 - 11 Years	625	5.9	625	4.3	625	17.6
12 - 14 Years	777	8.1	777	4.0	777	14.7
15 - 19 Years	1,271	15.4	1,271	5.4	1,271	10.9
Total	3,695	9.6	3,695	5.4	3,695	13.6
Pacific Islander						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	7	*	7	*	7	*
Total	29	*	29	*	29	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 199
Run Date: 8/9/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	98	*	98	*	98	*
9 - 11 Years	44	*	44	*	44	*
12 - 14 Years	61	*	61	*	61	*
15 - 19 Years	53	*	53	*	53	*
Total	256	15.2	256	5.9	256	16.0 13.3
All Other						
5 - 8 Years	2,200	4.6	2,200	3.1	2,200	18.5 23.3
9 - 11 Years	1,100	5.7	1,100	1.7	1,100	18.6 26.7
12 - 14 Years	988	6.1	988	2.6	988	22.1 25.4
15 - 19 Years	999	11.5	999	2.9	999	17.8 22.3
Total	5,287	6.4	5,287	2.7	5,287	19.1 24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 200
Run Date: 8/9/2010

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,633	4.7	6,633	3.1	6,633	18.0 22.9
9 - 11 Years	3,256	4.8	3,256	2.3	3,256	18.4 27.0
12 - 14 Years	3,126	7.0	3,126	2.7	3,126	19.6 23.5
15 - 19 Years	3,499	13.1	3,499	3.7	3,499	15.5 18.4
Total	16,514	7.0	16,514	3.0	16,514	17.9 22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 201
Run Date: 8/9/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 Years	12	*	12	*	12	*
15 - 19 Years	16	*	16	*	16	*
Total	62	*	62	*	62	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	206	1.9	206	3.9	206	17.5
9 - 11 Years	103	7.8	103	2.9	103	26.2
12 - 14 Years	109	3.7	109	0.0	109	18.3
15 - 19 Years	147	16.3	147	2.7	147	17.0
Total	565	7.1	565	2.7	565	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 202
Run Date: 8/9/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 203
Run Date: 8/9/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	68	*	68	*	68	*
9 - 11 Years	42	*	42	*	42	*
12 - 14 Years	31	*	31	*	31	*
15 - 19 Years	29	*	29	*	29	*
Total	170	5.9	170	0.6	170	22.4 33.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 204
Run Date: 8/9/2010

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	299	2.7	299	3.7	299	17.4 24.7
9 - 11 Years	160	6.3	160	1.9	160	23.8 25.0
12 - 14 Years	153	5.2	153	0.7	153	19.6 27.5
15 - 19 Years	196	14.8	196	2.0	196	16.8 20.9
Total	808	6.8	808	2.4	808	18.9 24.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 205
Run Date: 8/9/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	423	4.3	423	3.5	423	13.7 16.3
9 - 11 Years	149	3.4	149	0.0	149	20.1 22.8
12 - 14 Years	184	5.4	184	2.2	184	19.6 23.4
15 - 19 Years	177	6.2	177	0.0	177	21.5 23.2
Total	933	4.7	933	2.0	933	17.4 20.0
Black, Not Hispanic						
5 - 8 Years	21	*	21	*	21	* *
9 - 11 Years	10	*	10	*	10	* *
12 - 14 Years	21	*	21	*	21	* *
15 - 19 Years	15	*	15	*	15	* *
Total	67	*	67	*	67	* *
Hispanic						
5 - 8 Years	91	*	91	*	91	* *
9 - 11 Years	33	*	33	*	33	* *
12 - 14 Years	25	*	25	*	25	* *
15 - 19 Years	22	*	22	*	22	* *
Total	171	5.8	171	1.2	171	18.7 27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 206
Run Date: 8/9/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	14	*	14	*	14	*
Total	75	*	75	*	75	*
Asian						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	29	*	29	*	29	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 207
Run Date: 8/9/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
All Other						
5 - 8 Years	133	5.3	133	1.5	133	19.5
9 - 11 Years	55	*	55	*	55	*
12 - 14 Years	62	*	62	*	62	*
15 - 19 Years	67	*	67	*	67	*
Total	317	5.7	317	1.6	317	19.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 208
Run Date: 8/9/2010

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	715	4.9	715	2.8	715	16.2 17.3
9 - 11 Years	268	3.0	268	0.4	268	19.0 25.0
12 - 14 Years	316	7.6	316	2.5	316	19.9 22.2
15 - 19 Years	300	5.7	300	0.0	300	20.7 24.7
Total	1,599	5.3	1,599	1.8	1,599	18.3 21.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 209
Run Date: 8/9/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	6	*	6	*	6	*
Total	18	*	18	*	18	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	8	*	8	*	8	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 210
Run Date: 8/9/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 211
Run Date: 8/9/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
All Other							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 Years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 212
Run Date: 8/9/2010

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	11	*	11	*	11	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 Years	8	*	8	*	8	* *
15 - 19 Years	9	*	9	*	9	* *
Total	31	*	31	*	31	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 213
Run Date: 8/9/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	101	5.0	101	4.0	101	10.9
9 - 11 Years	60	*	60	*	60	*
12 - 14 Years	60	*	60	*	60	*
15 - 19 Years	53	*	53	*	53	*
Total	274	5.8	274	2.2	274	12.4
Black, Not Hispanic						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	3	*	3	*	3	*
Total	18	*	18	*	18	*
Hispanic						
5 - 8 Years	35	*	35	*	35	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	41	*	41	*	41	*
15 - 19 Years	16	*	16	*	16	*
Total	102	6.9	102	3.9	102	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 214
Run Date: 8/9/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	1	*	1	*	1	*
Total	18	*	18	*	18	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 215
Run Date: 8/9/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	77	*	77	*	77	* *
9 - 11 Years	46	*	46	*	46	* *
12 - 14 Years	44	*	44	*	44	* *
15 - 19 Years	31	*	31	*	31	* *
Total	198	5.1	198	3.0	198	13.1 20.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 216
Run Date: 8/9/2010

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	229	5.7	229	3.9	229	14.0 14.0
9 - 11 Years	123	4.9	123	1.6	123	5.7 24.4
12 - 14 Years	155	5.2	155	2.6	155	18.1 21.9
15 - 19 Years	104	7.7	104	1.9	104	15.4 22.1
Total	611	5.7	611	2.8	611	13.6 19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 217
Run Date: 8/9/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	120	6.7	120	2.5	120	11.7 14.2
9 - 11 Years	71	*	71	*	71	* *
12 - 14 Years	72	*	72	*	72	* *
15 - 19 Years	70	*	70	*	70	* *
Total	333	5.4	333	1.2	333	16.5 20.4
Black, Not Hispanic						
5 - 8 Years	131	0.8	131	2.3	131	21.4 13.7
9 - 11 Years	85	*	85	*	85	* *
12 - 14 Years	87	*	87	*	87	* *
15 - 19 Years	68	*	68	*	68	* *
Total	371	2.7	371	2.4	371	16.7 24.5
Hispanic						
5 - 8 Years	447	3.6	447	1.6	447	16.3 25.7
9 - 11 Years	195	4.6	195	1.0	195	16.9 35.4
12 - 14 Years	158	5.1	158	3.2	158	20.3 25.9
15 - 19 Years	143	12.6	143	2.1	143	18.9 30.1
Total	943	5.4	943	1.8	943	17.5 28.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 218
Run Date: 8/9/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	7	*	7	*	7	*
Total	33	*	33	*	33	*
Pacific Islander						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	0	*	0	*	0	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 219
Run Date: 8/9/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	25	*	25	*	25	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	7	*	7	*	7	*
Total	65	*	65	*	65	*
All Other						
5 - 8 Years	590	5.1	590	3.9	590	22.0
9 - 11 Years	311	4.5	311	3.5	311	28.0
12 - 14 Years	320	6.3	320	1.6	320	27.2
15 - 19 Years	303	9.9	303	1.3	303	24.4
Total	1,524	6.2	1,524	2.8	1,524	24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 220
Run Date: 8/9/2010

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,337	4.5	1,337	2.8	1,337	16.7 21.6
9 - 11 Years	692	4.3	692	2.2	692	17.5 31.4
12 - 14 Years	658	5.8	658	1.8	658	19.9 28.0
15 - 19 Years	598	9.7	598	2.0	598	17.4 24.2
Total	3,285	5.7	3,285	2.3	3,285	17.6 25.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 221
Run Date: 8/9/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	143	3.5	143	2.1	143	16.1 16.1
9 - 11 Years	79	*	79	*	79	* *
12 - 14 Years	87	*	87	*	87	* *
15 - 19 Years	85	*	85	*	85	* *
Total	394	3.6	394	2.5	394	20.3 18.5
Black, Not Hispanic						
5 - 8 Years	16	*	16	*	16	* *
9 - 11 Years	12	*	12	*	12	* *
12 - 14 Years	21	*	21	*	21	* *
15 - 19 Years	18	*	18	*	18	* *
Total	67	*	67	*	67	* *
Hispanic						
5 - 8 Years	508	4.5	508	1.4	508	18.5 24.0
9 - 11 Years	248	1.6	248	1.2	248	20.6 27.4
12 - 14 Years	222	7.2	222	0.0	222	24.3 22.1
15 - 19 Years	239	16.3	239	2.5	239	21.8 23.4
Total	1,217	6.7	1,217	1.3	1,217	20.6 24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 222
Run Date: 8/9/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	5	*	5	*	5	*
15 - 19 Years	4	*	4	*	4	*
Total	48	*	48	*	48	*
Asian						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	6	*	6	*	6	*
Total	30	*	30	*	30	*
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	10	*	10	*	10	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 223
Run Date: 8/9/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	4	*	4	*	4	*
All Other						
5 - 8 Years	200	3.0	200	3.0	200	22.0
9 - 11 Years	91	*	91	*	91	*
12 - 14 Years	103	9.7	103	2.9	103	15.5
15 - 19 Years	97	*	97	*	97	*
Total	491	6.3	491	2.6	491	20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 224
Run Date: 8/9/2010

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	907	4.4	907	2.1	907	18.9 20.7
9 - 11 Years	450	2.0	450	2.0	450	20.7 25.3
12 - 14 Years	452	6.6	452	1.3	452	21.7 23.0
15 - 19 Years	452	12.6	452	2.2	452	22.1 20.4
Total	2,261	6.0	2,261	1.9	2,261	20.4 22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 225
Run Date: 8/9/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,303	6.0	1,303	3.2	1,303	16.8 21.4
9 - 11 Years	563	5.2	563	3.2	563	17.8 29.7
12 - 14 Years	630	6.2	630	1.1	630	17.5 26.2
15 - 19 Years	555	7.2	555	1.3	555	20.4 25.0
Total	3,051	6.1	3,051	2.4	3,051	17.8 24.6
Black, Not Hispanic						
5 - 8 Years	122	2.5	122	2.5	122	15.6 20.5
9 - 11 Years	76	*	76	*	76	* *
12 - 14 Years	73	*	73	*	73	* *
15 - 19 Years	79	*	79	*	79	* *
Total	350	2.6	350	2.6	350	19.1 21.7
Hispanic						
5 - 8 Years	2,499	4.7	2,499	2.1	2,499	19.6 22.6
9 - 11 Years	1,010	5.2	1,010	2.1	1,010	18.9 32.8
12 - 14 Years	870	5.4	870	1.5	870	19.5 28.6
15 - 19 Years	785	10.4	785	2.5	785	19.5 23.1
Total	5,164	5.8	5,164	2.1	5,164	19.4 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 226
Run Date: 8/9/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 Years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	14	*	14	*	14	*
Asian						
5 - 8 Years	82	*	82	*	82	*
9 - 11 Years	59	*	59	*	59	*
12 - 14 Years	75	*	75	*	75	*
15 - 19 Years	120	22.5	120	3.3	120	17.5
Total	336	11.9	336	5.1	336	15.2
Pacific Islander						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	4	*	4	*	4	*
Total	19	*	19	*	19	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 227
Run Date: 8/9/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	7	*	7	*	7	*
All Other						
5 - 8 Years	456	3.9	456	4.4	456	17.5
9 - 11 Years	211	5.2	211	2.8	211	18.0
12 - 14 Years	204	5.9	204	2.5	204	20.6
15 - 19 Years	201	10.0	201	1.5	201	18.9
Total	1,072	5.7	1,072	3.2	1,072	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 228
Run Date: 8/9/2010

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	4,479	4.9	4,479	2.8	4,479	18.4	21.3
9 - 11 Years	1,926	5.0	1,926	2.7	1,926	18.3	30.9
12 - 14 Years	1,859	5.6	1,859	1.6	1,859	19.0	27.0
15 - 19 Years	1,749	9.9	1,749	2.0	1,749	19.6	22.0
Total	10,013	6.0	10,013	2.4	10,013	18.7	24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 229
Run Date: 8/9/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	135	2.2	135	3.0	135	16.3 11.1
9 - 11 Years	64	*	64	*	64	* *
12 - 14 Years	52	*	52	*	52	* *
15 - 19 Years	40	*	40	*	40	* *
Total	291	3.1	291	2.7	291	16.2 18.6
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	* *
9 - 11 Years	2	*	2	*	2	* *
12 - 14 Years	4	*	4	*	4	* *
15 - 19 Years	7	*	7	*	7	* *
Total	19	*	19	*	19	* *
Hispanic						
5 - 8 Years	211	4.7	211	1.4	211	20.4 26.5
9 - 11 Years	86	*	86	*	86	* *
12 - 14 Years	61	*	61	*	61	* *
15 - 19 Years	52	*	52	*	52	* *
Total	410	6.1	410	1.2	410	20.7 28.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 230
Run Date: 8/9/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	4	*	4	*	4	*
Asian						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	7	*	7	*	7	*
15 - 19 Years	9	*	9	*	9	*
Total	41	*	41	*	41	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 231
Run Date: 8/9/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	1	*	1	*	1	* *
All Other						
5 - 8 Years	111	6.3	111	3.6	111	13.5 16.2
9 - 11 Years	66	*	66	*	66	* *
12 - 14 Years	36	*	36	*	36	* *
15 - 19 Years	29	*	29	*	29	* *
Total	242	7.9	242	3.3	242	16.1 15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 232
Run Date: 8/9/2010

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	481	4.2	481	2.3	481	17.0 20.0
9 - 11 Years	229	4.8	229	2.6	229	14.8 27.5
12 - 14 Years	162	8.6	162	2.5	162	22.8 17.9
15 - 19 Years	137	9.5	137	2.2	137	20.4 25.5
Total	1,009	5.7	1,009	2.4	1,009	17.9 22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 233
Run Date: 8/9/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	143	5.6	143	2.8	143	17.5 11.9
9 - 11 Years	49	*	49	*	49	* *
12 - 14 Years	54	*	54	*	54	* *
15 - 19 Years	67	*	67	*	67	* *
Total	313	6.4	313	1.9	313	20.8 18.2
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	1	*	1	*	1	* *
15 - 19 Years	1	*	1	*	1	* *
Total	7	*	7	*	7	* *
Hispanic						
5 - 8 Years	125	8.0	125	0.8	125	23.2 20.8
9 - 11 Years	51	*	51	*	51	* *
12 - 14 Years	51	*	51	*	51	* *
15 - 19 Years	68	*	68	*	68	* *
Total	295	6.8	295	1.7	295	22.0 23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 234
Run Date: 8/9/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	8	*	8	*	8	*
Asian						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 235
Run Date: 8/9/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	262	3.1	262	4.2	262	15.6
9 - 11 Years	77	*	77	*	77	*
12 - 14 Years	100	6.0	100	4.0	100	20.0
15 - 19 Years	64	*	64	*	64	*
Total	503	4.0	503	3.6	503	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 236
Run Date: 8/9/2010

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	540	4.8	540	3.0	540	17.8 13.9
9 - 11 Years	178	2.8	178	1.1	178	20.8 27.5
12 - 14 Years	209	5.3	209	1.9	209	19.6 22.5
15 - 19 Years	205	9.3	205	3.4	205	23.4 23.4
Total	1,132	5.4	1,132	2.6	1,132	19.6 19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 237
Run Date: 8/9/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 Years	19	*	19	*	19	*
15 - 19 Years	20	*	20	*	20	*
Total	80	*	80	*	80	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	20	*	20	*	20	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 238
Run Date: 8/9/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 239
Run Date: 8/9/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	11	*	11	*	11	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 240
Run Date: 8/9/2010

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	38	*	38	*	38	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 Years	26	*	26	*	26	*
15 - 19 Years	28	*	28	*	28	*
Total	118	8.5	118	3.4	118	17.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 241
Run Date: 8/9/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	481	4.4	481	3.7	481	13.5 17.7
9 - 11 Years	172	5.8	172	2.9	172	18.0 24.4
12 - 14 Years	233	2.6	233	3.0	233	17.2 30.9
15 - 19 Years	207	6.3	207	1.4	207	14.5 22.7
Total	1,093	4.6	1,093	3.0	1,093	15.2 22.5
Black, Not Hispanic						
5 - 8 Years	70	*	70	*	70	* *
9 - 11 Years	23	*	23	*	23	* *
12 - 14 Years	35	*	35	*	35	* *
15 - 19 Years	44	*	44	*	44	* *
Total	172	4.1	172	1.7	172	18.0 18.6
Hispanic						
5 - 8 Years	5,010	4.6	5,010	2.2	5,010	17.4 23.4
9 - 11 Years	2,425	4.1	2,425	1.9	2,425	19.5 32.4
12 - 14 Years	2,344	6.8	2,344	1.8	2,344	19.2 28.2
15 - 19 Years	2,185	11.4	2,185	1.8	2,185	19.6 24.7
Total	11,964	6.1	11,964	2.0	11,964	18.6 26.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 242
Run Date: 8/9/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	13	*	13	*	13	*
Total	45	*	45	*	45	*
Asian						
5 - 8 Years	71	*	71	*	71	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 Years	24	*	24	*	24	*
15 - 19 Years	30	*	30	*	30	*
Total	150	11.3	150	3.3	150	15.3
Pacific Islander						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	20	*	20	*	20	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 243
Run Date: 8/9/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	18	*	18	*	18	*
All Other						
5 - 8 Years	444	8.6	444	4.7	444	12.4
9 - 11 Years	186	7.5	186	4.3	186	18.3
12 - 14 Years	213	10.8	213	4.2	213	20.7
15 - 19 Years	149	12.8	149	0.7	149	21.5
Total	992	9.5	992	3.9	992	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 244
Run Date: 8/9/2010

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,115	4.9	6,115	2.5	6,115	16.6 22.6
9 - 11 Years	2,848	4.4	2,848	2.0	2,848	19.2 31.3
12 - 14 Years	2,857	6.8	2,857	2.2	2,857	19.2 27.4
15 - 19 Years	2,634	11.0	2,634	1.8	2,634	19.4 24.1
Total	14,454	6.3	14,454	2.2	14,454	18.1 25.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 245
Run Date: 8/9/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	81	*	81	*	81	*
9 - 11 Years	42	*	42	*	42	*
12 - 14 Years	41	*	41	*	41	*
15 - 19 Years	31	*	31	*	31	*
Total	195	8.2	195	2.1	195	12.8 15.9
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	5	*	5	*	5	*
Hispanic						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	19	*	19	*	19	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 246
Run Date: 8/9/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 247
Run Date: 8/9/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	27	*	27	*	27	* *
9 - 11 Years	11	*	11	*	11	* *
12 - 14 Years	7	*	7	*	7	* *
15 - 19 Years	6	*	6	*	6	* *
Total	51	*	51	*	51	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 248
Run Date: 8/9/2010

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	123	9.8	123	3.3	123	14.6 11.4
9 - 11 Years	60	*	60	*	60	* *
12 - 14 Years	51	*	51	*	51	* *
15 - 19 Years	40	*	40	*	40	* *
Total	274	7.3	274	2.2	274	14.2 15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 249
Run Date: 8/9/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	247	4.0	247	3.2	247	21.1 15.8
9 - 11 Years	115	2.6	115	4.3	115	22.6 13.9
12 - 14 Years	108	6.5	108	2.8	108	17.6 30.6
15 - 19 Years	144	6.3	144	2.8	144	20.1 15.3
Total	614	4.7	614	3.3	614	20.5 17.9
Black, Not Hispanic						
5 - 8 Years	29	*	29	*	29	* *
9 - 11 Years	15	*	15	*	15	* *
12 - 14 Years	29	*	29	*	29	* *
15 - 19 Years	21	*	21	*	21	* *
Total	94	*	94	*	94	* *
Hispanic						
5 - 8 Years	3,191	4.5	3,191	2.5	3,191	18.5 23.2
9 - 11 Years	1,428	3.9	1,428	2.1	1,428	20.7 30.5
12 - 14 Years	1,431	6.3	1,431	1.4	1,431	20.8 26.8
15 - 19 Years	1,322	11.8	1,322	2.2	1,322	19.1 22.5
Total	7,372	6.0	7,372	2.1	7,372	19.5 25.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 250
Run Date: 8/9/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	18	*	18	*	18	*
Asian						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 Years	11	*	11	*	11	*
15 - 19 Years	5	*	5	*	5	*
Total	39	*	39	*	39	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 251
Run Date: 8/9/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	1	*	1	*	1	*
Total	17	*	17	*	17	*
All Other						
5 - 8 Years	244	3.3	244	5.3	244	11.9
9 - 11 Years	134	7.5	134	2.2	134	14.9
12 - 14 Years	134	3.7	134	3.7	134	24.6
15 - 19 Years	104	9.6	104	3.8	104	24.0
Total	616	5.4	616	4.1	616	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 252
Run Date: 8/9/2010

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	3,739	4.4	3,739	2.8	3,739	18.3 22.5
9 - 11 Years	1,709	4.0	1,709	2.3	1,709	20.2 29.0
12 - 14 Years	1,724	6.1	1,724	1.6	1,724	20.8 26.2
15 - 19 Years	1,602	11.1	1,602	2.4	1,602	19.7 21.8
Total	8,774	5.9	8,774	2.4	8,774	19.4 24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 253
Run Date: 8/9/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	194	6.7	194	2.1	194	16.0 19.1
9 - 11 Years	125	1.6	125	3.2	125	20.0 20.8
12 - 14 Years	94	*	94	*	94	* *
15 - 19 Years	119	6.7	119	1.7	119	22.7 22.7
Total	532	5.8	532	2.3	532	17.9 21.8
Black, Not Hispanic						
5 - 8 Years	18	*	18	*	18	* *
9 - 11 Years	20	*	20	*	20	* *
12 - 14 Years	21	*	21	*	21	* *
15 - 19 Years	22	*	22	*	22	* *
Total	81	*	81	*	81	* *
Hispanic						
5 - 8 Years	472	5.3	472	3.0	472	18.9 25.2
9 - 11 Years	211	2.8	211	0.9	211	17.1 33.2
12 - 14 Years	216	3.7	216	1.9	216	22.2 27.8
15 - 19 Years	198	11.1	198	1.0	198	20.7 25.8
Total	1,097	5.6	1,097	2.0	1,097	19.5 27.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 254
Run Date: 8/9/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 Years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Asian						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 Years	6	*	6	*	6	*
15 - 19 Years	7	*	7	*	7	*
Total	31	*	31	*	31	*
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 255
Run Date: 8/9/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 Years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*
All Other							
5 - 8 Years	278	3.6	278	6.1	278	13.7	22.7
9 - 11 Years	131	3.8	131	4.6	131	18.3	23.7
12 - 14 Years	137	5.8	137	1.5	137	15.3	24.1
15 - 19 Years	121	9.9	121	1.7	121	18.2	24.0
Total	667	5.2	667	4.0	667	15.7	23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 256
Run Date: 8/9/2010

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	980	5.3	980	3.7	980	16.6 23.2
9 - 11 Years	494	2.8	494	2.6	494	18.4 27.3
12 - 14 Years	475	5.3	475	2.1	475	18.3 26.3
15 - 19 Years	470	9.1	470	1.5	470	20.0 24.9
Total	2,419	5.5	2,419	2.7	2,419	18.0 25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 257
Run Date: 8/9/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
White, Not Hispanic						
5 - 8 Years	152	3.9	152	2.6	152	13.2
9 - 11 Years	59	*	59	*	59	*
12 - 14 Years	59	*	59	*	59	*
15 - 19 Years	72	*	72	*	72	*
Total	342	7.6	342	3.2	342	20.8
Black, Not Hispanic						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 Years	9	*	9	*	9	*
15 - 19 Years	13	*	13	*	13	*
Total	45	*	45	*	45	*
Hispanic						
5 - 8 Years	210	5.2	210	2.9	210	21.9
9 - 11 Years	96	*	96	*	96	*
12 - 14 Years	86	*	86	*	86	*
15 - 19 Years	63	*	63	*	63	*
Total	455	6.4	455	2.6	455	24.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 258
Run Date: 8/9/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaska Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	7	*	7	*	7	*
Asian						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 Years	21	*	21	*	21	*
15 - 19 Years	19	*	19	*	19	*
Total	78	*	78	*	78	*
Pacific Islander						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 Years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	7	*	7	*	7	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 259
Run Date: 8/9/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 Years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	2	*	2	*	2	* *
All Other						
5 - 8 Years	65	*	65	*	65	* *
9 - 11 Years	38	*	38	*	38	* *
12 - 14 Years	23	*	23	*	23	* *
15 - 19 Years	33	*	33	*	33	* *
Total	159	5.0	159	5.7	159	14.5 23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2009 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 260
Run Date: 8/9/2010

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	480	5.8	480	3.3	480	17.3 18.3
9 - 11 Years	214	5.1	214	1.9	214	15.4 21.0
12 - 14 Years	200	10.0	200	2.0	200	20.0 33.5
15 - 19 Years	201	12.4	201	5.0	201	16.4 26.9
Total	1,095	7.7	1,095	3.1	1,095	17.3 23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

